

For the Connection of Load ≥ 1 MVA and/or HV Generators

Please complete all Mandatory Fields \* and include as much detail as possible to ensure we can meet your requirements.

1. REQUEST	T DETAILS								
*Service Type:	New Connection ☐ Connection alteration / modification ☐								
National Metering	Identifier (NMI): (where existing)								
*Connection Type (select multiple where required):	□ Load Connection greater than 1 MVA - connecting under Chapter 5A of the NER								
	☐ High Voltage Embedded Generator less than 5 MVA - connecting under Chapter 5A of the NER								
	☐ High Voltage Embedded Generator less than 5 MVA - opting to connect under Chapter 5 of the NER								
	☐ High Voltage Embedded Generator 5 MVA and above - connecting under Chapter 5 of the NER								
Note: Low Voltage (L'	te: Low Voltage (LV) Generator connections are not managed via this form, please use our Customer Portal.								
*Service	□ Preliminary advice - seeking preliminary process and network information (Chapter 5A.D.2 or 5.3A.7)								
Requested	☐ Technical Assessment - seeking planning report for a load ≥ 1 MVA or generation < 5 MVA)								
	□ Detailed Response to Enquiry - seeking detailed response to enquiry for a generator ≥ 5 MVA								
	☐ Site specific advice - please provide details in OTHER INFORMATION / COMMENTS)								
2. ENQUIRE	e are entitled to charge under those energy laws for the performed services.  ER DETAILS								
*Enquiry from:	Retail Customer / Generator   Authorised Agent (for and on behalf of the Retail Customer / Generator)								
	m is submitted by an Authorised Agent, the Authorised Agent Details section of this form is mandatory and mus er for this form to be processed.	st							
•	ner / Embedded Generator Details								
Company Name:									
ABN:	ACN:	_							
Registered Address:		_							
Contact Name:									
Mobile Phone:	Other Phone:								
*Email:									
*Postal Address:		_							
Postal City:	Postal State: Postal Post Code:								



For the Connection of Load ≥ 1 MVA and/or HV Generators

Please complete all Mandatory Fields \* and include as much detail as possible to ensure we can meet your requirements.

2.2. Authorised Ag	gent Details				
Type of Agent:	Consultant □ Builder □ Electrician □				
Company Name:					
ABN:	ACN:				
Registered Address:					
Contact Name:					
Mobile Phone:	Other Phone:				
*Email:					
*Postal Address:					
Postal City:	Postal State: Postal Post Code:				
3. PROPERT	TY AND LOCATION DETAILS				
Site Name:					
RP Number ID:	Lot Number:				
GPS Latitude:	GPS Longitude:				
*Physical Address:					
Physical City:	Physical State: Physical Post Code:				
*Additional location restrictions, environment					
Is the retail custon	ner / generator the Registered Owner? Yes  No				
If no, enter Registe	ered Owner Name:				
4. PROJECT	DESCRIPTION				
4.1. Design & Con	struct Preference for Dedicated Customer Connection Assets				
* Options	□ Option 1 - Ergon Energy Network, construct and operate				
(select one):	☐ Option 2 - Customer design, construct, and transfer asset ownership to Ergon Energy Network - DCT				
	□ Option 3 - Unsure at this stage				
Please note: All share Energy Network.	d network (used by more than one customer, including future use) will be designed, constructed, and owned by Ergon				
4.2. Connection T	iming				
*Temporary Buildir	ng Supply Required? Yes □ No □				
*Maximum Supply	Demand (kVA): *Required by Date:				
*Required by Date	- Permanent Electricity Supply:				



For the Connection of Load ≥ 1 MVA and/or HV Generators

Please complete all Mandatory Fields \* and include as much detail as possible to ensure we can meet your requirements. \*Details of Staging Time Frame and Other Construction Requirements? Provide details below Yes □ No □ 5. DEMAND 5.1. Load Connection Details \*Purpose of Industry / Load \*Connection Voltage (kV): \*AS3000 Calculated Demand  $MW \square W \square$ Amp □ Metering Provider / Responsible person - person responsible for the provision, installation, and maintenance of a metering installation: \*Additional Maps, Site Plans or Diagrams Attached? Yes □ No □ \*Authorised Demand - highest 30min average demand expected after diversity for a 12-month period: \*Energy Consumption - estimated per annum - exclude energy that is self-produced with generation, where relevant: \*Anticipated average monthly maximum demand (kW): \*Peak energy - proportion of total (%): \*Anticipated Power Factor - at high load Power Factor Correction to be Installed? Yes □ No □ 5.2. Significant / Disturbing Loads (e.g. Plant that produces harmonics, Large Motors, Welders, Thyristor Drives) Disturbing Load Details: Size: MW □ MVAr □ Size: MW □ MVAr □ Significant Load: Refer to Attached Detail? Yes □ No □ 5.3. Other Development Types Type of Plant- e.g. rolling mill, turbine gas/steam: 5.4. Generating System Details Registration ☐ Standing exemption from registration as a Generator (typically generators less than 5 MVA aggregated Category: behind a connection point(s)) (select one) ☐ Intending to apply for an exemption from registering as a Generator ☐ Intending to register with AEMO as a Generator ☐ Registered with AEMO as a Generator or Intending Participant. Registration Reference: (where applicable) Existing Generation on Site? Yes □ No □ Existing Technology: Rotating Machine Inverter Energy System (IES) □ Hybrid (multiple technologies) □ Existing Capacity (kVA): Non-export □ Full export □ Partial export □ Export (kW):

Ergon Energy Corporation Limited ABN 50 087 646 062



For the Connection of Load ≥ 1 MVA and/or HV Generators

Please complete all Mandatory Fields \* and include as much detail as possible to ensure we can meet your requirements. **Total Generation Proposed (kVA):** Multiple technology / generation types: Yes  $\square$  No  $\square$ **Proposed Systems: Energy Source/s** # of units Capacity (kVA) **Type** Size (kVA) e.g. Diesel, Wind, PV, Biogas, Battery) Rotating Machine 2 Rotating Machine | IES | 3 Rotating Machine 

IES Purpose Standby or backup power □ Co-Generation □ Customer demand Commercial – energy export and of System management sale Mode of parallel i.e. momentarily connects to and synchronises with grid for changeover between ☐ Momentary parallel operation isolated mode and grid supply or vice versa (e.g., "make before break", "seam-Operation less" or "bump-less" transfer) i.e. connects to and synchronises with grid for extended periods, but no power is ☐ Parallel – Non-export exported to the grid i.e. connects to and synchronises with grid for extended periods and exports ☐ Parallel – Export power to the grid **Energy Output** Forecasts: Total hours of parallel Maximum Export operation (hrs) Power to Grid (kW) per annum (kWh) 6. SPECIAL REQUIREMENTS Requirements: 7. OTHER INFORMATION / COMMENTS Comments: Election being made under clause 5.3.4B(b1) of the National Electricity Rules) Yes □ No □ 8. SUPPORTING DOCUMENTATION Please confirm all relevant documentation in this section has been attached to this form as follows: For loads seeking a Attached technical datasheets if relevant; for pumps, motors, and other disturbing planning report plant including impedance details, if known as well as intended starting and operating schedules (e.g., starts per day, days per year); design drawings; schematics and switching sheet/table demonstrating that any breakbefore-make generating systems can be treated as off-grid (if relevant);



For the Connection of Load ≥ 1 MVA and/or HV Generators

Please complete all Mandatory Fields \* and include as much detail as possible to ensure we can meet your requirements. survey plan of land lot/s showing the general arrangement of the site and preferred location for connection assets; anticipated transformer size (required for fault calculations); where relevant, include schematics and switching sheet/table that demonstrate that any break-before-make generating systems can be treated as off-grid. For generators < 5 MVA Attached □ details of your generating system, including: seeking a planning for solar systems, the type of inverters, including; report certification to AS/NZS4777.2:2020 shall be required where LV inverters are to be used tracking system details (e.g. fixed, single axis horizontal, single axis vertical or dual axis), with tilt angle information as relevant (e.g. 30°); for battery systems: battery module unit data (nominal power, rated voltage, rated current, short circuit current, open circuit voltage and material); system charging and discharge rates and duty cycle times, preferably 1 minute profile data in .csv or .xlsx format; for rotating machines, the type of machines, as well as the datasheets and impedance information (if known); single line diagrams for protection and operation; annual half-hour profile of power output (in .csv or .xlsx format); general arrangement of the generating systems, including your preference for the location of the dedicated connection assets (if any); where relevant, include schematics and switching sheet/table that demonstrate that any break-before-make generating systems can be treated as off-grid. For generators ≥ 5 MVA Attached details of your requirements and the specifications of the facility to be seeking a Detailed connected (NB this must be consistent with the requirements we advised to Response to Enquiry you in the preliminary response to enquiry in satisfaction of Schedule 5.4A(a)-(c) of the NER (refer technical sections – i.e. protection systems, monitoring and control, insulation, fault levels, switching/isolation, synchronising, metering installations)); details of your reasonable expectations of the level and standard of service of power transfer capability that the distribution system should provide; and details of your generating system, including: number, size and type of inverters, turbines, or rotation machines: for solar systems, PV module unit data (nominal power, efficiency, rated voltage, rated current, short circuit current,) and total number of PV modules (and aggregate PV module capacity); tracking system details (e.g. fixed, single axis horizontal, single axis vertical or dual axis) and details of tilt angle as relevant; for wind turbines, turbine unit data for battery systems, battery module unit data (nominal power, rated voltage, rated current, short circuit current), and system charging and discharge rates and duty cycle times, preferably 1 minute profile data in .csv or .xlsx format; for rotating machines, number, size and type of rotating machine, and impedance and/or datasheets, if known;



For the Connection of Load ≥ 1 MVA and/or HV Generators

Please complete all Mandatory Fields \* and include as much detail as possible to ensure we can meet your requirements.

- single line diagrams for protection and operation;
- annual half-hour profile of power output (in .csv or .xlsx format);
- general arrangement of the site, including the preferred location of the connection assets:
- design drawings;
- if relevant, schematics and switching sheet/table demonstrating that any break-before-make generating systems can be treated as off-grid; survey plan of land lot/s showing the general arrangement of the site;
- anticipated transformer size (required for fault calculations);

anything else advised in the preliminary response to enquiry (if relevant).

### 9. ACKNOWLEGMENTS

#### 9.1. Retail Customer / Embedded Generator Acknowledgement

In submitting this connection enquiry, I/we acknowledge and agree to the following conditions:

#### **Connections Assessment**

The Retail Customer / Generator acknowledges and agrees:

- Ergon Energy Network processes connection enquiries in accordance with the negotiated connection process prescribed in the NER.
- Each connection enquiry is assessed as a standalone project having regard to the circumstances existing at the particular
  point in time (including, but not limited to, the System Strength Impact Assessment Guidelines published by AEMO (as
  applicable)).
- As we may be concurrently processing two or more connection enquiries in the same area of our distribution system,
  changes to the committed status of one of those projects may have a material physical, technical or financial impact on the
  works required for any other projects still progressing through the connection process. For example, such impacts may
  include: impacts on the relevant performance standards or other technical requirements with which a subsequent project
  may have to comply and in certain circumstances, imposing a requirement for the subsequent proponent to fund an
  augmentation of the distribution system.
- As a consequence, the information previously advised by us to you may change and may involve increased costs and delays to the expected timeframe for the connection of your project. For a connection under Chapter 5A - Load Connections ≥ 1 MVA, or Generators > 30 kVA but <5 MVA</li>

#### Confidentiality

Consistent with the obligations of confidentiality under the energy laws, you consent and agree that any information submitted as part of this Enquiry Form, or for the purpose of establishing or altering a connection to our distribution system, may be disclosed to our employees, contractors, sub-contractors and consultants to assist us in processing and managing your proposed connection (including this enquiry) on our behalf, and submission of this Enquiry Form is deemed to be consent to such disclosure.

In addition, and to facilitate transparency, Ergon Energy Network may disclose the following details relating to your proposed connection to third parties: the capacity requirements (covering import and export, as applicable), general project location, and relevant submission dates in the connection process.

If you do not consent to this additional right of disclosure, please tick this box  $\hfill\Box$ 

### Signed for and on behalf of the Retail Customer / Generator by its authorised representative:

Name:		Position:		
Signature:			Date:	



For the Connection of Load ≥ 1 MVA and/or HV Generators

Please complete all Mandatory Fields \* and include as much detail as possible to ensure we can meet your requirements.

9.2. Appointment of A	uthorised Agent				
I/we (Retail Customer / this Connection Enquiry		rise the Authorised Ager	t to act on our be	half in relation to the project the subjec	t of
Retail Customer/ Gene	erator Company:				
Authorised Agent Com	ipany:				
Authorised Agent Rep	resentative:				
I/We acknowledge and	agree that:				
				employee or representative of that nerator under this appointment;	
	rovided by the Ret			on by Ergon Energy Network as if it we bound by the actions of the Authorised	
3. any information or ac provided to the Retail C			my/our Authorise	ed Agent may be treated as having bee	en
		to enquire into the circur in accordance with this		ty of this appointment or of any request	tor
5. this appointment con	tinues until I notify	Ergon Energy Network	in writing of its ca	ncellation.	
				m any and all liability, loss or damage opointment. <b>Retail Customer/ Generat</b>	or
Name:		P	osition:		
Company Name:					
Signature:				Date:	
Authorised Agent					
Name:		P	osition:		
Company Name:					
ABN:			ACN:		
Signature:				Date:	

#### 10. OTHER INFORMATION / COMMENTS

You will receive a reply from Ergon Energy Network acknowledging your enquiry has been received within 5 working days of receipt. This reply will normally be sent via e-mail and will detail any missing information required. Failure to provide this information will prevent in your enquiry from being progressed.

The reply will contain a Work Request number, this reference number is to be used in all future contact in regard to this specific project. The reply will also confirm that Ergon Energy Network is the correct Network Service Provider, or provide you with further information regarding the identity of the appropriate NSP where you should direct your enquiry.

Your enquiry will be processed under the National Electricity Rules (NER). You should take time to familiarise yourself with and understand your responsibilities under the NER, which can be found on Ergon Energy Network's website: https://www.ergon.com.au/network or the Australian Energy Market Commission website: https://www.aemc.gov.au/regulation/energy-rules.



For the Connection of Load ≥ 1 MVA and/or HV Generators

Please complete all Mandatory Fields \* and include as much detail as possible to ensure we can meet your requirements.

From this enquiry you will receive an 'enquiry response' which will provide an outline of costs, connection method and connection requirements. If you wish to proceed to a connection, a Major Customer Connection Application form will need to be forwarded to Ergon Energy Network with your relevant Work Request number, application fee and additional information.

When completed, please e-mail this form and supporting documentation to majorcustomers@energyq.com.au