



# Ergon Energy Network Tariff Guide

01 July 2024 to 30 June 2025



Part of Energy Queensland



---

Version	Date	Description
V1.0	21 May 2024	First version published on website covering the period 1 July 2024 to 30 June 2025

---

# Contents

1.	Introduction .....	6
1.1	Purpose .....	6
1.2	Supporting network pricing documentation .....	6
1.3	Background .....	7
2.	Pricing zones .....	7
3.	Assigning and reassigning customers to network tariff classes and tariffs .....	10
3.1	Assigning new customers .....	10
3.2	Reassigning existing customers .....	12
3.3	Notice of proposed reassignment and objections review process .....	15
4.	Description of network tariffs and application of charges .....	16
4.1	Different types of network charges .....	16
4.2	Overview of tariff components by tariff .....	18
4.3	Tariff specific information .....	24
5.	Authorised Demand for CAC and ICC's .....	39
6.	Distribution Loss Factors .....	39
6.1	Background .....	39
7.	Avoided TUOS payments to embedded generators .....	40
7.1	Background .....	40
7.2	Methodology for calculating avoided TUOS .....	40
7.3	Payment of Avoided TUOS .....	41
7.4	Recovery of Avoided TUOS .....	41
	Appendix A: WIFT Fixed charge calculation methodology .....	42
	Appendix B: IBT charge calculation methodology .....	43
	Appendix C: Seasonal TOU Demand tariff calculation examples .....	47
	Appendix D: CAC connection unit charge examples .....	49
	Appendix E: Transitional Network Dual Rate Demand Tariff 3 -Demand Charge calculation methodology .....	51
	Appendix F: TUOS regions and transmission connection points .....	54
	Appendix G: Terms and conditions for load control tariffs .....	56

---

Appendix H: Glossary .....	60
Table 1: Supporting network pricing documentation .....	6
Table 2: Tariff classes.....	10
Table 3: Default tariff assignment for new customers .....	11
Table 4: Reassignment of existing SAC customers after meter change .....	14
Table 5: Tariffs and their components .....	19
Table 6: Tariffs and their charging timeframes .....	23
Table 7: Default primary tariffs for SAC Small Residential customers .....	24
Table 8: Default primary tariffs for SAC Small Business customers .....	25
Table 9: Default tariff for SAC Large customers.....	27
Table 10: Unmetered supply tariff .....	28
Table 11: SAC Small Residential customer optional primary tariffs .....	29
Table 12: SAC Small Business customer optional primary tariffs .....	30
Table 13: SAC Large customer optional primary tariff .....	32
Table 14: Secondary tariffs.....	34
Table 15: Closed SAC tariffs .....	35
Table 16: Default CAC tariffs .....	36
Table 17: ICC tariff.....	36
Table 18: CAC optional tariffs.....	37
Table 19: Definitions of terminology used throughout this document .....	60
Figure 1: Distirbution pricing zones coverage .....	9



## 1. INTRODUCTION

### 1.1 Purpose

This document is Ergon Energy's Network Tariff Guide (Guide). It supports Ergon Energy's 2024-25 Pricing Proposal and has been prepared to assist in the interpretation of our network tariffs and tariff assignment processes for the period from 1 July 2024 to 30 June 2025.

Each year we are required to submit a pricing proposal to the the Australian Energy Regulator (AER) for approval. The pricing proposal sets out Ergon Energy Network's proposed tariffs and demonstrates compliance with Chapter 6 of the National Electricity Rules (NER). Our 2024-25 Pricing Proposal was developed in accordance with the requirement set out in our 2020-25 Tariff Structure Statement (TSS).

This Guide aligns with our AER approved 2020-25 TSS and Pricing Proposal. These documents, in conjunction with Ergon Energy's 2024-25 Network Price List, are available on our website: [www.ergon.com.au/network/network-management/network-pricing](http://www.ergon.com.au/network/network-management/network-pricing).

### 1.2 Supporting network pricing documentation

In addition to this Guide, we have published a number of related network pricing documents to assist network users, retailers and interested parties understand the development and application of tariffs and connection charges.<sup>1</sup> These documents are outlined in the table below.

**Table 1: Supporting network pricing documentation**

Document	Overview
Tariff Structure Statement	<ul style="list-style-type: none"> <li>Sets out the proposed tariff classes, tariffs and tariff structures for the 2020-25 period</li> <li>Details how the proposed tariff classes, tariffs and tariff structures comply with the pricing principles</li> <li>Provides details on Ergon Energy's tariff assignment policy</li> <li>Provides indicative prices for the 2020-25 regulatory control period</li> <li>Approved by the AER as part of the 2020-25 Distribution Determination</li> </ul>
Pricing Proposal	<ul style="list-style-type: none"> <li>Explains Ergon Energy's tariff classes, tariffs and tariff structures for Standard Control Services and Alternative Control Services in compliance with the requirements set out in Chapter 6 of the NER, the AER's Distribution Determination and our TSS</li> <li>Submitted to the AER annually for approval</li> </ul>
Network Tariff Schedule	<ul style="list-style-type: none"> <li>Provides Ergon Energy's prices for our Standard Control Services and Alternative Control Services developed in accordance with the requirements set out in the NER, the AER's Distribution Determination and our TSS</li> <li>Submitted to the AER annually as part of the Pricing Proposal</li> </ul>
Network Tariff Guide	<ul style="list-style-type: none"> <li>An operational document for customers, retailers, and consultants, setting out the tariff assignment and reassignment procedures</li> </ul>

<sup>1</sup> Link to Ergon Energy's website: [www.ergon.com.au/network/network-management/network-pricing](http://www.ergon.com.au/network/network-management/network-pricing)

Document	Overview
	<ul style="list-style-type: none"> <li>Provides a description of the network tariffs</li> <li>Provides an explanation of the application of network tariff charging components</li> <li>Published annually and updated as required</li> </ul>
Connection Policy	<ul style="list-style-type: none"> <li>Sets out when a connection charge may be payable by retail customers or real estate developers and the aspects of the connection service for which a charge may be applied</li> <li>Details how Ergon Energy calculates the capital contributions to be paid</li> <li>Approved by the AER in 2020 as part of the 2020-25 Distribution Determination</li> </ul>

## 1.3 Background

### 1.3.1 Network tariff charging components

The total network charges customers are charged for their use of the distribution network (i.e. for Standard Control Services) are known as Network Use of System (NUOS) charges.

NUOS charges are comprised of the following three components:

- Distribution Use of System (DUOS) charge – this charge refers to the network charge attributable to the use of Ergon Energy’s distribution network.
- Designated Pricing Proposal Charge (DPPC) – this charge mainly refers to the charges incurred for the use of Powerlink’s transmission network. It was previously referred to as Transmission Use of System (TUOS) charge.
- Jurisdictional Scheme charges – this charge refers to the amounts imposed on Ergon Energy Network that it must pass through to customers (e.g., legislative obligations arising under Queensland law).

## 2. PRICING ZONES

Three pricing zones have been delineated in our distribution area, broadly based on Queensland’s local government areas, with the distribution network electrical connection being the final determinant of which zone applies. Zone pricing impacts the DUOS component of the NUOS charges only (DPPC charges and jurisdictional scheme charges are not impacted by pricing zones).


Ergon Energy Network’s three pricing zones are:

- 
- East Zone – those areas where the network users are supplied from the distribution system connected to the national grid and have a relatively low distribution cost to supply.
  - West Zone – those areas outside the East Zone and connected to the national grid, which have a significantly higher distribution cost of supply than the East Zone.
  - Mount Isa Zone – broadly defined as those areas supplied from the isolated Mount Isa system. This zone is not connected to the national grid and, as such, would normally be excluded from the application of the NER. However, under the Electricity – National Scheme (Queensland) Act 1997, the Queensland Government has transferred responsibility for the economic regulation of the Mount Isa – Cloncurry supply network to the AER.

The local government areas covered in each of the three regions are listed in the figure below.



**Figure 1: Distribution pricing zones coverage**



Note: (LGA) = Local Government Area, (R) = Regional Council, (S) = Shire Council and (C) = City Council

### 3. ASSIGNING AND REASSIGNING CUSTOMERS TO NETWORK TARIFF CLASSES AND TARIFFS

This chapter sets out Ergon Energy Network's procedures for assigning new customers<sup>2</sup> to a default network tariff and for reassigning existing customers to an alternative network tariff. This chapter should be read in conjunction with our approved 2020-25 TSS and the AER's 2020-25 TSS Decision.

New customer assignment and existing customer reassignment to Ergon Energy Network's default network tariff involves two steps:

- 1) assigning new customers or reassigning existing customers to the applicable tariff class based on their connection characteristics, and
- 2) assigning new customers or reassigning existing customers to the applicable network tariff within their correct tariff class.

#### 3.1 Assigning new customers

##### 3.1.1 Assignment to tariff class

Consistent with our TSS, Ergon Energy Network will assign customers into one of three tariff classes, mainly based on the voltage level at which customers are connected to the network. Ergon Energy Network's tariff classes and eligibility criteria are explained in Table 2: Tariff classes.

**Table 2: Tariff classes**

Tariff class	Eligibility criteria
Standard Asset Customers (SAC)	<p>All customers connected at LV with installed capacity up to 1,000kVA are assigned to the SAC tariff class. SAC customers are further classified as Small or Large customers, depending on their energy consumption:</p> <ul style="list-style-type: none"> <li>SAC Small – A small customer is defined in the National Energy Retail Law (Queensland) Act 2014 as an LV customer with annual energy consumption <b>up to 100 MWh</b>.</li> <li>SAC Large – A large customer is defined as an LV customer with annual energy consumption greater than that of a small customer as determined in Section 7 of the <i>National Energy Retail Regulations</i>, that is customers with annual energy consumption of <b>100 MWh or more</b>.</li> </ul>
Connection Asset Customers (CAC) <sup>a</sup>	<p>Customers with a network coupling point at 66 kV, 33 kV, 22 kV, 11 kV and installed capacity above 1,000 kVA who are not assigned to the ICC tariff class are allocated to the CAC tariff class.</p>

<sup>2</sup> In this Guide, a new customer means as a new connection to the distribution network.

Tariff class	Eligibility criteria
Individually Calculated Customers (ICC)	Customers are assigned to the ICC tariff class if they are coupled to the network at 132 kV, 110 kV, 66 kV or 33 kV, and with installed capacity above 10 MVA.
	Customers may also be assigned to the ICC tariff class if they are coupled to the network at 132 kV, 110 kV, 66kV or 33 kV, and with installed capacity below 10 MVA where:
	<ul style="list-style-type: none"> <li>A customer has a dedicated distribution system which is quite different and separate from the remainder of our distribution system</li> </ul>
	<ul style="list-style-type: none"> <li>At the determination of the DNSP, the nature of the customer's connection to the network, and/or usage of the network, make average prices inappropriate</li> </ul>
	<ul style="list-style-type: none"> <li>A customer is connected at or close to a Transmission Connection Point, or</li> <li>Subject to the Policy set out in our TSS Appendix A, eligible CAC customers accessing transitional or obsolete retail tariffs and who can demonstrate that they are facing extraordinary customer impact post retirement of the retail tariffs and that this financial impact is directly attributable to their network charges.</li> </ul>

**Note:**

Some existing customers coupled to the HV network at lower voltage levels will remain allocated to the ICC tariff class for legacy reasons.

No reference is made to customer's export load in assigning customers to Ergon Energy Network's tariff classes (or network tariffs).

### 3.1.2 Assignment to default primary tariff

If a retailer does not specify its preferred network tariff for a new customer, Ergon Energy Network will assign the customer to the relevant default network tariff in accordance with the table below. It should be noted that all new customers are assumed to have smart meters.

**Table 3: Default tariff assignment for new customers**

Tariff class	Customer type	Usage	Default network tariff	Tariff code
<b>SAC</b>	Residential	Below 100 MWh per annum	Residential Transitional Demand	RTDEM
	Small Business	Below 100 MWh per annum	Small Business Transitional Demand	BTDEM
	Business	100 MWh or more, and demand above 30 kW (or 35 kVA)	Demand Small	DST
	Business	100 MWh or more, and demand above 120 kW (or 135 kVA)	Demand Medium	DMT
	Business	100 MWh or more, and demand above 400 kW (or 450 kVA)	Large Business Time-of-Use Demand	LTOUD
	Unmetered supply	All	Unmetered supply	UM
<b>CAC</b>	Customers connected at 11 kV (or 22 kV) line		22/11 kV Line	C22L

Tariff class	Customer type	Usage	Default network tariff	Tariff code
	Customers connected at 11 kV (or 22 kV) bus		22/11kV Bus	C22B
	Customers connected at 66 kV		66 kV	C66
	Customers connected at 33 kV		33 kV	C33
<b>ICC</b>	All ICC customers		ICC tariff	ICC

Ergon Energy's network tariffs do not support a mixed tariff situation (for example, where one NMI has both residential and business retail tariffs). The determination of the appropriate SAC network tariff will be based on the retailer's classification of the NMI as either business or residential in accordance with the National Energy Retail Rules.

If a customer classification is not received from the retailer for move-in SAC small customers, the retail customer moving-in to the existing premises will inherit the existing customer classification and existing network tariff. Move-in customers are not considered as a new customer to Ergon Energy Network, as these customers are not a new connection to the distribution network.

Where a retailer has not nominated a valid network tariff for a SAC Large customer, Ergon Energy Network will use the available site information and attributes to estimate the load characteristics for the premise in terms of Demand Small, Demand Medium or Large Business time-of-use Demand, and on a best endeavours basis match those characteristics to the optimal default tariff.

## 3.2 Reassigning existing customers

In accordance with our TSS, Ergon Energy Network will initiate network tariff reassignment of customers in the following instances:

- when SAC customers change from a basic accumulation meter to a smart (Type 4) meter,
- when a SAC customer reaches the end of any applicable grace provision within the TSS,
- to transition SAC customers that already have a smart meter from an Inclining Block tariff to a demand or time-of-use based tariff, and
- as a result of our review and assessment of customer assignment to ensure customers are assigned to the correct tariff class and tariff.

Ergon Energy Network initiated tariff re-assignment procedure for existing customers is further explained in the sections below.

### 3.2.1 Tariff reassignment for SAC customers

#### SAC customers with consumption below 100 MWh changing to a smart meter

##### End-of-life meter replacement for customers with a basic meter

SAC Small residential and small business customers that have their basic accumulation meter replaced due to end of life reasons after 30 June 2020 may remain on the legacy Inclining Block tariffs for a period of 12 months from the date of the replacement.

At the end of this 12-month grace period, these customers will be reassigned to the applicable Residential or Small Business Transitional Demand tariff (RTDEM or BTDEM), unless their retailers have already voluntarily requested reassignment to a demand or time-of use network tariff prior to the end of the grace period.

##### Customer initiated meter upgrade from basic meter to smart meter

SAC Small residential and small business customers that upgrade from a basic accumulation meter to a smart meter will be immediately assigned to the applicable Residential or Business Transitional Demand tariff (RTDEM or BTDEM).

##### Customers with Type 4A meters

As per the advice received from the AER, existing customers with communication-disabled smart meters (also known as Type 4A meters) will be automatically reassigned to the Residential or Small Business Transitional Demand tariff (RTDEM or BTDEM) at the end of the 12-month grace period for end of life scenarios. The rationale for this approach is as follows:

- Type 4A meters are smart meters recording interval data which can be billed on a kW basis; and
- The benefits associated with peak demand reduction will be available to customers with this type of metering.

Considering that Residential and Business Transitional Demand tariffs are charged on a monthly cycle, customers who have their meter read on a quarterly basis will be invoiced estimated monthly bills until the actual meter reading is available. When the actual consumption and demand data is received, the estimated invoices will be cancelled, and new monthly invoices based on the actual readings will be issued.

#### Summary of network initiated tariff reassignments for residential and small business customers

Table 4 below summarises network initiated tariff reassignment for residential and small business customers.

**Table 4: Reassignment of existing SAC small customers after meter change**

	Customer type	Existing tariff and tariff code	Tariff after reassignment	Reassignment date	Optional tariffs
<b>SAC customers with annual consumption below 100 MWh changing from a basic to smart meter</b>					
End-of-life meter failure	Residential	Residential Inclining Block - IBT	Residential Transitional Demand - RTDEM	12 months after meter replacement	Residential Demand – RDEM Residential ToU Energy - RTOUE
	Small Business	Small Business Inclining Block - BIB	Small Business Transitional Demand - BTDEM	12 months after meter replacement	Small Business Demand – BDEM Small Business ToU Energy - BTOUE
Customer initiated action	Residential	Residential Inclining Block - IBT	Residential Transitional Demand - RTDEM	Immediately after meter change	Residential Demand – RDEM Residential ToU Energy - BTOUE
	Small Business	Small Business Inclining Block - BIB	Small Business Transitional Demand - BTDEM	Immediately after meter change	Small Business Demand – BDEM Small Business ToU Energy - BTOUE

### SAC Large customers with a basic meter

All basic meter customers with consumption above 100 MWh will be reassigned to the applicable Large Residential Energy or Large Business Energy tariff. These customers will not be allowed to access any other SAC Large tariffs unless they change from a basic meter to a smart (Type 4) meter.

### 3.2.2 Periodic review and assessment

Ergon Energy Network will review the assignment of customers to tariffs to ensure customers are assigned to the correct tariff class and tariff. There are a number of circumstances where the review may identify that an existing customer is no longer eligible to remain assigned to their existing network tariff, including when:

- CAC or ICC customers change their voltage level of supply or there is a material change in connection assets to the extent that they are no longer able to remain on their existing tariff, or
- SAC customers have changed their usage to the extent that they are no longer eligible to remain assigned to their existing customer classification and network tariff.

Electricity consumption levels for all eligible<sup>3</sup> SAC customers are reviewed every 12 months to assess if their annualised consumption falls below/above the 100 MWh consumption threshold. As

<sup>3</sup> Typically a NMI must have a minimum of six months of available consumption data in order to be reviewed



a safeguard, a 15% tolerance limit is applied on an annualised consumptions basis to mitigate frequent tariff re-assignment.

For SAC Small customers with a smart meter that exceed the 100 MWh per year threshold we will initiate a network tariff change to reassign the customer to the Demand Small tariff (DST). SAC customers with basic metering who become SAC Large (i.e. consumption greater than 100 MWh per year) will be reassigned to the new Large Residential Energy or Large Business Energy tariff.

For SAC Large customers, where our review identifies that their annualised consumption is under the 100 MWh threshold, we will initiate a network tariff change to reassign the customer to the applicable SAC Small Transitional Demand tariff (or back to the IBT in case of basic meter customers).

In accordance with our TSS, Ergon Energy Network will notify the retail customer prior to the proposed network tariff re-assignment occurring.

If a network tariff is discontinued or no longer available to a customer, Ergon Energy Network may initiate a change to the customer's network tariff. This change will also be undertaken in accordance with procedures outlined in our TSS.

### **3.2.3 Retailer requested reassignment or reclassification**

In accordance with our TSS, existing customers requesting a tariff re-assignment are allowed only one tariff change per 12-month period<sup>4</sup>, which is free of charge to customers.

For retailer initiated reclassification and network tariff code change process refer to our TSS, specifically Section 5.3.

## **3.3 Notice of proposed reassignment and objections review process**

In accordance with our TSS, Ergon Energy Network will notify the retail customer or their retailer prior to the proposed network tariff re-assignment occurring to inform them about the proposed change, the reason for the change, how the customer can dispute the decision and the date the change will take effect. For further information about Ergon Energy Network's tariff reassignment process, including customer notification process and tariff assignment objection review, refer to our TSS, Sections 5.4 and 5.5.

<sup>4</sup> This condition will not apply to customers who have opted in to the newly introduced Small Business Primary Load Control Tariff, the Large Business Primary Load Control Tariff and the Large Business Secondary Load Control Tariff. Customers on these tariffs will be permitted to opt out of their load control tariffs within the 12-month period.

For new CAC and ICC customers: During the testing/commissioning stage of the connection process customers may be given the opportunity for a tariff reclassification within the 12-month period, in line with the requirements of the Customer Connection Agreement.

## 4. DESCRIPTION OF NETWORK TARIFFS AND APPLICATION OF CHARGES

This chapter describes Ergon Energy's network tariffs to assist retailers, customers, and other stakeholders to understand our Network Price List, particularly the tariff structures and the application of tariff components.

### 4.1 Different types of network charges

Each network tariff comprises a combination of tariff components (also referred to as charging parameters) that are applied to recover costs<sup>5</sup>. This section explains the different tariff components used by Ergon Energy.

#### 4.1.1 Tariff components

Different types of tariff components (or charges) and their application are described below.

##### **Fixed charge**

- A fixed \$/day charge is applied to each energised connection point where energy or demand is recorded. In the case of the Wide Inclining Fixed tariff (WIFT), the fixed charge increases with each consumption block increment (refer to Section 4.3 and Appendix A for further details).
- In some situations, daily pro-rating will apply in the calculation and billing of fixed charges. The Queensland Market Participant Handbook provides further guidance on network billing arrangements.
- For small customers, fixed charges are designed to reflect the average capacity of the electricity network allocated to a typical customer on that network tariff. For large customers, fixed charges reflect the costs associated with the connection and management of the customer.

##### **Volume charge**

A volume charge may be a flat or variable charge for energy consumed at a connection point, calculated in \$/kWh:

- Flat volume charge - A flat or single volume charge, meaning the same price is charged for energy consumed regardless of when the energy is consumed. These charges are

---

<sup>5</sup> Network tariffs are applied to the electricity used at the connection point, as measured by the meter (or meters) at that connection point. Customers with multiple network connections will pay network charges for each connection point. This approach is consistent with the National Metering Identifier (NMI) Procedure issued by the Australian Energy Market Operator.

designed to recover the costs related to the volume (or amount) of electricity consumed by customers.

- Time of Use (ToU) volume charge - A variable volume charge, meaning the price charged for energy consumed changes at different times of the day. Prices are lower during Day (Off Peak) Hours and higher Evening (Peak) Hours. Overnight (Shoulder) prices apply in-between the Evening and Day periods. These charges are designed to reduce demand on the network during peak times by encouraging customers to switch non-essential electricity consumption to other periods.

### **Demand charge**

- A monthly demand charge calculated as a \$/kVA/month or \$/kW/month for demand recorded at a connection point. These charges are applied to the maximum half hourly kW (or kVA for large customers) power reading that occurred at a connection point during either<sup>6</sup>:
  - a single peak recorded anytime in the month, or
  - the maximum demand recorded within a peak demand window (specific timeframes apply to certain tariffs – refer to table 5 and 6).

In some situations, daily pro-rating will apply in the calculation and billing of demand charges. The Queensland Market Participant Handbook provides further guidance on network billing arrangements.

- These charges are designed to reflect the future augmentation costs associated with providing sufficient network capacity for customers to cater for their maximum network demand. This means that customers who put more pressure on the network are charged more. As a result, these charges encourage customers to reduce their electricity costs by reducing their maximum demand.

### **Capacity charge (only applicable to CAC and ICC customers)**

- Capacity charge is a monthly charge calculated as a \$/kVA/month for the network capacity provided for a connection point.
- These charges assign an amount of shared network costs associated with providing network capacity that reflects the amount of capacity set aside for a specific customer that can be used by that specific customer at any time.

<sup>6</sup> The maximum half hourly kW (kVA) is average of a 30-minute period, not the highest instantaneous demand within the half hour period.

### 4.1.2 Metering service charges

In addition to the tariff components listed in section 4.1.1, LV customers accessing Ergon Energy's network tariffs may be charged metering service charges<sup>7</sup>. Metering service charges are applied through a fixed \$/day charge. Metering charges are split into two components:

- a non-capital component that is applied to existing customers with legacy basic (Type 6) meters and continues to apply until a customer's meter is replaced with a smart Type 4 meter. This charge is designed to recover costs incurred in providing meter maintenance, meter reading, and data services for basic meters.
- a capital component that is applied to existing customers connected to Ergon Energy's network prior to 1 July 2015, to recover the remaining capital cost related to legacy Type 6 meters<sup>8</sup>. This charge applies regardless of whether customers have upgraded to a smart meter or churned to an alternative meter provider.

The following types of capital and/or non-capital metering charges may be applied, subject to customer's metering:

- a charge for the primary metering service
- a supplementary charge for each secondary controlled load, and
- a supplementary charge for solar PV.

For further information about the application of metering service charges refer to our TSS Section 5.

## 4.2 Overview of tariff components by tariff

The tariff components that apply to Ergon Energy's 2024-25 network tariffs are shown in Table 5.

<sup>7</sup> Metering service charges classified as Alternative Control Services (ASC). For ACS, the cost of the service is not recovered through the NUOS charges. ACS are akin to a 'user-pays' system.

<sup>8</sup> Note: Exemptions apply in the Power of Choice exempt areas (Mount Isa-Cloncurry and other Isolated supply networks) where Ergon Energy Network is responsible for the installation and replacement of metering equipment.

**Table 5: Tariffs and their components**

Network Tariff	Network tariff code <sup>9</sup>	Fixed charge (\$/day)	Volume charge (\$/kWh)		Demand charge (\$/kw/month or S/kVA/month)		Capacity charge (\$/kVA)	Connect unit (\$/day/unit)	Metering services charge** (\$/day)
			Flat	Time-of-Use	Anytime	Peak window only			
Residential Inclining Block	RIB	√	√ Inclining						√
Residential Transitional Demand	RTDEM	√	√			√			√
Residential Demand	RDEM	√	√			√			√
Residential ToU Energy	RTOUE	√		√					√
Small Business Inclining Block	BIB	√	√ Inclining						√
Small Business Wide Inclining Fixed Tariff	BWIF	√ Inclining	√						√
Small Business Transitional Demand	BTDEM	√	√			√			√
Small Business Demand	BDEM	√	√			√			√
Small Business ToU Energy	BTOUE	√ Inclining		√					√

<sup>9</sup> It is intended that a network tariff code will apply to each meter data stream. In the case where a NMI has multiple meters (and data streams), metering data may be aggregated to calculate network charges. The Queensland Market Participant Handbook provides further guidance on how network tariffs are applied to aggregate data streams.

Network Tariff	Network tariff code <sup>9</sup>	Fixed charge (\$/day)	Volume charge (\$/kWh)		Demand charge (\$/kw/month or S/kVA/month)		Capacity charge (\$/kVA)	Connect unit (\$/day/unit)	Metering services charge** (\$/day)
			Flat	Time-of-Use	Anytime	Peak window only			
Small Business Primary Load Control	BPLC	√	√						√
Transitional Network ToU Energy Tariff 1	EBFRM	√		√ Inclining					√
Transitional Network ToU Energy Tariff 2	EBIRR	√		√					√
Transitional Network Dual Rate Demand Tariff 3	EBPMP	√	√		√				√
Volume Night Controlled	VN		√						√
Volume Controlled	VC		√						√
Large Residential Energy	REST	√	√ Inclining						√
Large Business Energy	BEST	√	√ Inclining						√
Demand Small	DST	√	√		√				√
Demand Medium	DMT	√	√		√				√
Demand Large	DLT	√	√		√				√
Seasonal ToU Demand	STOUD	√		√ Seasonal		√ Seasonal			√



Network Tariff	Network tariff code <sup>9</sup>	Fixed charge (\$/day)	Volume charge (\$/kWh)		Demand charge (\$/kw/month or \$/kVA/month)		Capacity charge (\$/kVA)	Connect unit (\$/day/ unit)	Metering services charge** (\$/day)
			Flat	Time- of-Use	Anytime	Peak window only			
Large Business ToU Demand	LTOUD	√	√		√*	√			√
Large Business Primary Load Control	LPLC	√	√						√
Large Business Secondary Load Control	LSLC		√						√
Unmetered Supply	UM		√						√
33kV***	C33	√	√		√		√	√	
66kV***	C66	√	√		√		√	√	
22/11kC Bus***	C22B	√	√		√		√	√	
22/11kV Line***	C22L	√	√		√		√	√	
Seasonal ToU Demand 11 or 22kV Bus***	C22BTOUT	√		√		√ Seasonal TOU	√	√	
Seasonal ToU Demand 11 or 22kV Line***	C22LTOU T	√		√		√ Seasonal TOU	√	√	
Seasonal ToU Demand 33 or 66kV***	C66TOUT	√		√		√ Seasonal TOU	√	√	

Network Tariff	Network tariff code <sup>9</sup>	Fixed charge (\$/day)	Volume charge (\$/kWh)		Demand charge (\$/kw/month or S/kVA/month)		Capacity charge (\$/kVA)	Connect unit (\$/day/unit)	Metering services charge** (\$/day)
			Flat	Time-of-Use	Anytime	Peak window only			
ICC tariff***	ICC	√	√		√		√		

\* Excess demand charges may apply anytime outside the peak period. These charges are additional to the peak demand charges.

\*\* Metering service charges may apply to some customers. Refer to Section 4.1.2 for further information about the application of metering service charge.

\*\*\* CAC and Standard ICC tariffs are not offered in Mount Isa region

**Table 6: Tariffs and their charging timeframes**

Network Tariffs	Charging timeframes	Weekdays <sup>a</sup>	Weekends
Residential ToU Energy	Evening (Peak) volume	4pm – 9pm	4pm – 9pm
	Overnight (Shoulder) volume	9pm – 9am	9pm – 9am
	Day (Off Peak) volume	9am – 4pm	9am – 4pm
Small Business ToU Energy	Evening (Peak) volume	4pm – 9pm	Not charged
	Overnight (Shoulder) volume	9pm – 9am	4pm – 9am
	Day (Off Peak) volume	9am – 4pm	9am – 4pm
Residential Transitional Demand Residential Demand	Peak demand	4pm – 9pm	4pm – 9pm
Small Business Transitional Demand Small Business Demand	Peak demand	4pm-9pm	Not charged
Large Business ToU Demand	Peak demand	4pm – 9pm	Not charged
	Off-peak demand	9pm – 4pm	All times
Seasonal ToU Demand CAC Seasonal ToU Demand tariffs	Peak volume (summer months <sup>b</sup> )	All times	All times
	Peak demand (summer months <sup>b</sup> )	10am to 8pm	Not charged
	Off-peak volume (non-summer months <sup>b</sup> )	All times	All times
	Off-peak demand (non-summer <sup>b</sup> )	All times	All times
Transitional Network ToU Tariff 1	Peak volume	7am – 9pm	Not charged
	Off-peak volume	All other times	All usage all times
Transitional Network ToU Tariff 2	Peak volume	As agreed between the retailer and the customer one of the following periods: 7am – 7pm 7:30am – 7:30pm 8am – 8pm	As agreed between the retailer and the customer one of the following periods: 7am – 7pm 7:30am – 7:30pm 8am – 8pm
	Off-peak volume	All other times	All other times

**Notes:**

- Weekdays include government gazetted full day public and bank holidays i.e., State, regional and local public holidays.
- Summer<sup>c</sup> is defined as the months of December, January, and February
- As agreed between the retailer and the customer one of the following periods: 7am to 7pm; 7.30am to 7.30pm; or 8am to 8pm.

## 4.3 Tariff specific information

### 4.3.1 Default SAC Tariffs

**Table 7: Default primary tariffs for SAC Small Residential customers**

Tariff class: Standard Asset Customers (SAC)													
Customer Type:	Residential customer consuming up to 100 MWh per year												
Tariff:	Residential Inclining Block (Tariff code: RIB)												
Tariff description	<p>This tariff has an inclining block structure, with the prices increasing with each step up in a customer’s energy consumption (kWh) level above defined thresholds.</p> <p>Secondary load control tariffs can be assessed with this primary tariff.</p> <p>This tariff cannot be used in conjunction with any other primary residential tariff.</p>												
Opt in / opt out arrangements	<p>This tariff is the default tariff for residential customers with basic (Type 6) meters consuming up to 100 MWh per year.</p> <p>Arrangements for customers with a smart meter during 2021-25:</p> <ul style="list-style-type: none"><li>- default tariff for residential customers who upgraded from basic to smart metering for end of life replacement reasons in the previous 12 months.</li><li>- not available to any other residential customers with a smart meter.</li></ul>												
Tariff components and application	Fixed charge: \$/day applies to each energised connection point for each day in the billing period												
	Volume charge: inclining volume charge, \$/kWh, applies based on kWh energy usage in the billing period. The volume charge is charged according to three blocks.												
	The inclining blocks are triggered once a customer exceeds each nominated consumption threshold. For network billing and operational purposes, the IBT is denominated and applied on a daily basis. The annual equivalent kWh is provided for presentation purposes only. The calculation methodology for this tariff is set out in Appendix B.												
	The following consumption blocks apply:												
	<table><tr><th>Block</th><th>Daily kWh</th><th>Annual equivalent kWh</th></tr><tr><td>Block 1</td><td>&lt;2.74 kWh</td><td>&lt;1,000 kWh per year</td></tr><tr><td>Block 2</td><td>2.74 - 16.43 kWh</td><td>1,000 - 6,000 kWh per year</td></tr><tr><td>Block 3</td><td>&gt;16.43 kWh</td><td>&gt;6,000 kWh per year</td></tr></table>	Block	Daily kWh	Annual equivalent kWh	Block 1	<2.74 kWh	<1,000 kWh per year	Block 2	2.74 - 16.43 kWh	1,000 - 6,000 kWh per year	Block 3	>16.43 kWh	>6,000 kWh per year
Block	Daily kWh	Annual equivalent kWh											
Block 1	<2.74 kWh	<1,000 kWh per year											
Block 2	2.74 - 16.43 kWh	1,000 - 6,000 kWh per year											
Block 3	>16.43 kWh	>6,000 kWh per year											
Tariff:	Residential Transitional Demand (Tariff code: RTDEM)												
Tariff description	<p>The Transitional Demand tariff for residential customers is intended to be an introductory demand tariff which incorporates a lower demand price compared to the standard Residential Demand tariff. This tariff allows residential customers to adjust to the concept of demand they may not be familiar with.</p> <p>Secondary load control tariffs can be assessed with this primary tariff.</p> <p>This tariff cannot be used in conjunction with Residential Inclining Block tariff.</p>												
Opt in / opt out arrangements	<p>This tariff is the default for new residential customers, and for existing residential customers who initiate an upgrade to a smart meter, consuming up to 100 MWh per annum.</p> <p>Customers initiating a change from a basic meter to a smart meter will be immediately reassigned to this tariff.</p> <p>Customers changing from a basic meter to a smart meter due to <b>end-of-life meter failure</b> will be reassigned to this tariff <b>12 months after the smart meter installation</b> (unless they chose to voluntarily opt-in to a demand or time-of-use volume based tariff during the 12 month grace period).</p>												

Tariff class: Standard Asset Customers (SAC)	
Customer Type:	Residential customer consuming up to 100 MWh per year
Tariff components and application	Fixed charge: \$/day applies to each energised connection point for each day in the billing period
	Volume charge: A flat volume charge, \$/kWh, applies based on kWh energy usage in the billing period
	Demand charge: A monthly charge calculated as \$/kW/month, based on the maximum kW demand measured as a single peak over a 30-minute period during the peak demand charging window/timeframe.
	Peak demand window: 4pm to 9pm weekdays and weekends

**Table 8: Default primary tariffs for SAC Small Business customers**

Tariff class: Standard Asset Customers (SAC)														
Customer Type:	Small business customers consuming up to 100 MWh per year													
Tariff:	Small Business Inclining Block (Tariff code: BIB)													
Tariff description	This tariff has an inclining block structure, with prices increasing with each step up in a customer's energy consumption (kWh) level above defined thresholds. Secondary load control tariffs can be assessed with this primary tariff. This tariff cannot be used in conjunction with any other primary business tariff.													
Opt in / opt out arrangements	This tariff is the default tariff for small business customers with a basic (Type 6) meter consuming up to and including 20 MWh per annum Arrangements for customers with a smart meter during 2021-25: <ul style="list-style-type: none"><li>- This tariff remains the default tariff for small business customers consuming up to and including 20 MWh per year who upgrade from a basic to a smart metering for end of life replacement reasons for up to 12 months after the meter replacement date.</li><li>- not available to any other small business customers with a smart meter.</li></ul>													
Tariff components and application	<p>Fixed charge: \$/day applies to each energised connection point for each day in the billing period</p> <p>Volume charge: inclining volume charge, \$/kWh, applies based on kWh energy usage in the billing period. The volume charge is charged according to three blocks.</p> <p>The inclining blocks are triggered once a customer exceeds each nominated consumption threshold. For network billing and operational purposes, the IBT is denominated and applied on a daily basis. The annual equivalent kWh is provided for presentation purposes only. The calculation methodology for this tariff is set out in Appendix B.</p> <p>The following consumption blocks apply:</p> <table><tr><th>Block</th><th>Daily kWh</th><th>Annual equivalent kWh</th></tr><tr><td>Block 1</td><td>&lt;2.74 kWh</td><td>&lt;1,000 kWh per year</td></tr><tr><td>Block 2</td><td>2.74 - 54.76 kWh</td><td>1,000 - 20,000 kWh per year</td></tr><tr><td>Block 3</td><td>&gt;54.76 kWh</td><td>&gt;20,000 kWh per year</td></tr></table>		Block	Daily kWh	Annual equivalent kWh	Block 1	<2.74 kWh	<1,000 kWh per year	Block 2	2.74 - 54.76 kWh	1,000 - 20,000 kWh per year	Block 3	>54.76 kWh	>20,000 kWh per year
Block	Daily kWh	Annual equivalent kWh												
Block 1	<2.74 kWh	<1,000 kWh per year												
Block 2	2.74 - 54.76 kWh	1,000 - 20,000 kWh per year												
Block 3	>54.76 kWh	>20,000 kWh per year												
Tariff:	Small Business Wide Inclining Fixed Tariff (WIFT) (Tariff code: BWIF)													

Tariff class: Standard Asset Customers (SAC)	
Customer Type:	Small business customers consuming up to 100 MWh per year
Tariff description	<p>This tariff is the default tariff for small business customers with a basic (Type 6) meter consuming more than 20 MWh and up to 100 MWh per annum.</p> <p>Secondary load control tariffs can be assessed with this primary tariff.</p>
Opt in / opt out arrangements	Closed to customers with a smart meter.
Tariff components and application	<p>Fixed charge: \$/day applies to each energised connection point for each day in billing period</p> <p>This tariff has five inclining fixed charge blocks.</p> <p>To select the applicable fixed charge, a customer is assigned to one of the five blocks depending on their electricity usage i.e., different prices apply to each 20 MWh/year block.</p> <p>Block 1: Annual consumption up to 20 MWh/year</p> <p>Block 2: Annual consumption 20 MWh/year up to 40 MWh/year</p> <p>Block 3: Annual consumption 40 MWh/year up to 60 MWh/year</p> <p>Block 4: Annual consumption 60 MWh/year up to 80 MWh/year</p> <p>Block 5: Annual consumption equal to or exceeding 80 MWh/year</p> <p>The higher the customer's energy consumption, the higher the \$/day fixed charge.</p> <p>For further information refer to Appendix A.</p> <p>Volume charge: A flat volume charge, \$/kWh, applies based on kWh energy usage in the billing period</p>
<b>Tariff:</b>	<b>Small Business Transitional Demand (Tariff code: BTDEM)</b>
Tariff description	<p>The Transitional Demand tariff for small business customers is intended to be an introductory demand tariff which incorporates a lower demand charge compared to the standard Small Business Demand tariff. This tariff allows small business customers to adjust to the concept of demand they may not be familiar with.</p> <p>Secondary load control tariffs can be assessed with this primary tariff.</p> <p>This tariff cannot be used in conjunction with Small Business Inclining Block tariff.</p>
Opt in / opt out arrangements	<p>This tariff is the default for new small business customers and existing small business customers who initiate an upgrade to a smart meter, consuming up to 100 MWh per annum.</p> <p>Customers initiating a change from a basic meter to a smart meter will be immediately reassigned to this tariff.</p> <p>Customers changing from a basic meter to a smart meter due to <b>end-of-life meter failure</b> will be reassigned to this tariff <b>12 months after the smart meter installation</b> (unless they chose to voluntarily opt-in to a demand or time-of-use volume based tariff during the 12 month grace period).</p>
Tariff components and application	<p>Fixed charge: \$/day applies to each energised connection point for each day in the billing period</p> <p>Volume charge: A flat volume charge, \$/kWh, applies based on kWh energy usage in the billing period</p> <p>Demand charge: A monthly charge calculated as \$/kW/month, based on the maximum kW demand measured as a single peak over a 30-minute period during the peak demand charging window/timeframe.</p> <p>Peak demand window: 4pm to 9pm weekdays</p>



**Table 9: Default tariff for SAC Large customers**

Tariff class: Standard Asset Customers (SAC)	
Customer Type:	Large customers consuming 100 MWh or above per year
Tariff:	Large Business Time of Use Demand (Tariff code: LTOUD)
Tariff description	<p>This tariff has time of use demand charges which apply during the peak demand window, and additional (excess) demand charges which may apply outside the peak window depending on the customers load characteristics.</p> <p>Customers must have appropriate metering to access this tariff as the demand charges are applied to the maximum half hourly kVA (Note: kW-based version of this tariff is not available).</p>
Opt in / opt out arrangements	<p>This tariff is the default tariff for new SAC large customers (consuming 100 MWh or above per year) with demand above 450 kVA.</p> <p>Optional tariff for all existing SAC large customers with a smart meter.</p>
Tariff components and application	Fixed charge: \$/day applies to each energised connection point for each day in the billing period
	Volume charge: A flat volume charge, \$/kWh, applies based on kWh energy usage in the billing period
	<p>Demand charge: A monthly charge calculated as \$/kVA/month, based on the maximum kVA demand measured as a single peak over a 30-minute period during the peak demand charging window/timeframe.</p> <p>Peak demand window: 4pm to 9pm weekdays</p>
	<p>Excess demand charge: A monthly charge calculated as \$/kVA/month. It is measured as the single maximum demand outside the peak demand window minus the maximum demand during the peak demand window.</p> <p>Where the maximum monthly demand outside the peak demand window is less than the highest monthly maximum demand inside the peak window, the excess demand charge for that billing period is set to zero.</p>
Tariff:	<b>Demand Medium (Tariff code: DMT)</b> <b>Demand Small (Tariff code: DST)</b>
Tariff description	<p>The Demand Medium and Demand Small tariffs are anytime demand tariffs (i.e., these tariffs do not have a peak charging window for demand).</p> <p>The two tariffs have the same structure, however different rates and different thresholds apply to the demand charges.</p> <p>The Demand Medium and Demand Small tariffs are self-selecting with the customer determining the optimum tariff category based on their energy use and load characteristics.</p>
Opt in / opt out arrangements	<p>Default tariffs for SAC large customer with a smart meter consuming 100 MWh or above per year:</p> <p style="padding-left: 40px;">Demand Small – default for new customers with demand greater than 30 kW (or 35 kVA)</p> <p style="padding-left: 40px;">Demand Medium – default for new customer with demand greater than 120 kW (or 135 kVA)</p> <p>Optional tariffs for existing SAC large customers with a smart meter consuming 100 MWh or above per year.</p> <p>Note: Existing SAC Small Business and Residential customers with appropriate smart metering and consumption exceeding 100 MWh per year, will be assigned by default to the Demand Small (DSL) tariff.</p>

Tariff class: Standard Asset Customers (SAC)											
Customer Type:	Large customers consuming 100 MWh or above per year										
Tariff components and application	Fixed charge: \$/day applies to each energised connection point for each day in the billing period										
	Volume charge: A flat volume charge, \$/kWh, applies based on kWh energy usage in the billing period										
	Demand charge: A monthly charge calculated as \$/kVA/month (or kW)), applied to the kVA amount by which a customer’s actual monthly maximum demand measured as a single peak over a 30-minute period during the month is greater than the demand threshold applicable to the customer’s network tariff.  Where the monthly metered maximum demand is less than the demand threshold, the chargeable demand for that month is set to zero and no demand charge is payable for that month.  The threshold demands applicable to the SAC Large demand tariffs are: <div>Demand Medium: 120 kW or 135 kVA</div> <div>Demand Small: 30 kW or 35 kVA</div> Note: Where the customer has appropriate metering, demand charges will be kVA denominated. Where customer metering does not support kVA billing data being available, a kW denominated version of the tariff will continue to be available.										
Tariff:	<b>Large Residential Energy (Tariff code: REST)</b> <b>Large Business Energy (Tariff code: BEST)</b>										
Tariff description	The Large Residential Energy and Large Business Energy tariffs are volumetric tariffs designed to encourage SAC Large basic meter customers to upgrade to a smart meter.										
Opt in / opt out arrangements	Default tariffs for SAC large customer with a basic meter consuming 100 MWh or above per year. Tariffs not available to smart meter customers.										
Tariff components and application	Fixed charge: \$/day applies to each energised connection point for each day in the billing period										
	Volume charge: inclining volume charge, \$/kWh, applies based on kWh energy usage in the billing period. The volume charge is charged according to two blocks.										
	The inclining blocks are triggered once a customer exceeds each nominated consumption threshold. For network billing and operational purposes, the tariff is denominated and applied on a daily basis.										
	The following consumption blocks apply:										
	<table><tr><th>Block</th><th>Daily kWh</th><th>Annual equivalent kWh</th></tr><tr><td>Block 1</td><td>&lt;265.75 kWh</td><td>&lt;97,000 kWh per year</td></tr><tr><td>Block 2</td><td>&gt;or =265.75 kWh</td><td>&gt;or =97,000 kWh per year</td></tr></table>	Block	Daily kWh	Annual equivalent kWh	Block 1	<265.75 kWh	<97,000 kWh per year	Block 2	>or =265.75 kWh	>or =97,000 kWh per year	
Block	Daily kWh	Annual equivalent kWh									
Block 1	<265.75 kWh	<97,000 kWh per year									
Block 2	>or =265.75 kWh	>or =97,000 kWh per year									

**Table 10: Unmetered supply tariff**

Tariff class: Standard Asset Customers (SAC)	
Customer Type:	Unmetered supplies for facilities
Tariff:	<b>Unmetered (Tariff code: UM)</b>

Tariff class: Standard Asset Customers (SAC)	
Customer Type:	Unmetered supplies for facilities
Tariff description	This tariff is available for small uniform loads that have no meter at the connection point, such as public lighting, traffic lights, security lights and other types of unmetered public amenities (e.g., illuminated signs, phone boxes and public barbeques). Ergon Energy Network only provides a connection to the network for these services.
Opt in / opt out arrangements	The unmetered supply network tariff applies to all loads approved to be unmetered by Ergon Energy <sup>10</sup> . No other tariffs are available for unmetered supplies.
Tariff components and application	Volume charge: A flat volume charge, \$/kWh, applies based on kWh energy usage in the billing period

### 4.3.2 Optional SAC Tariffs

Table 11: SAC Small Residential customer optional primary tariffs

Tariff class: Standard Asset Customers (SAC)	
Customer Type:	Residential customer consuming up to 100 MWh per year
<b>Tariff:</b>	<b>Residential Demand (Tariff code: RDEM)</b>
Tariff description	This is a demand based tariff, designed to encourage residential customers to reduce their electricity costs by reducing their maximum demand during the peak times. Secondary load control tariffs can be assessed with this primary tariff. This tariff cannot be used in conjunction with Residential Flat.
Opt in / opt out arrangements	This tariff is optional for new and existing residential customers with a smart meter consuming up to 100 MWh per annum.
Tariff components and application	Fixed charge: \$/day applies to each energised connection point for each day in the billing period
	Volume charge: A flat volume charge, \$/kWh/month, applies based on kWh energy usage in billing period
	Demand charge: A monthly charge calculated as \$/kW, based on the maximum kW demand measured as a single peak over a 30-minute period during the peak demand charging window/timeframe. Peak demand window: 4pm to 9pm weekdays and weekends
<b>Tariff:</b>	<b>Residential Time of Use (ToU) Energy (Tariff code: RTOUE)</b>

<sup>10</sup> The NER prescribes which metering installations do not require a meter (Type 7)

Tariff class: Standard Asset Customers (SAC)	
Customer Type:	Residential customer consuming up to 100 MWh per year
Tariff description	<p>This is a tariff with rates varying depending on the time of day.</p> <p>Secondary load control tariffs can be assessed with this primary tariff.</p> <p>This tariff cannot be used in conjunction with Residential Flat.</p>
Opt in / opt out arrangements	This tariff is optional for new and existing residential customers with a smart meter consuming up to 100 MWh per annum.
Tariff components and application	<p>Fixed charge: \$/day applies to each energised connection point for each day in the billing period</p> <p>Volume charge: A variable charge, calculated in \$/kWh, with different rates applying to the energy used at a connection point at different times of the day</p> <p>The following time periods apply to volume charges:</p> <ul style="list-style-type: none"> <li>Evening (peak): 4pm to 9pm on weekdays and weekends</li> <li>Night (shoulder): 9pm to 9am on weekdays and weekends</li> <li>Day (off-peak): 9am to 4pm on weekdays and weekends</li> </ul>

**Table 12: SAC Small Business customer optional primary tariffs**

Tariff class: Standard Asset Customers (SAC)	
Customer Type:	Small business customer consuming up to 100 MWh per year
<b>Tariff:</b>	<b>Small Business Demand (Tariff code: BDEM)</b>
Tariff description	<p>This is a demand based tariff, designed to encourage small business customers to reduce their electricity costs by reducing their maximum demand during the peak times.</p> <p>Secondary load control tariffs can be assessed with this primary tariff.</p> <p>This tariff cannot be used in conjunction with Small Business Flat.</p>
Opt in / opt out arrangements	This tariff is optional for new and existing small business customers with a smart meter consuming up to 100 MWh per annum.
Tariff components and application	<p>Fixed charge: \$/day applies to each energised connection point for each day in the billing period</p> <p>Volume charge: A flat volume charge, \$/kWh, applies based on kWh energy usage in the billing period</p> <p>Demand charge: A monthly charge calculated as \$/kW/month, based on the maximum kW demand measured as a single peak over a 30-minute period during the peak demand charging window/timeframe.</p> <p>Peak demand window: 4pm to 9pm weekdays</p>
<b>Tariff:</b>	<b>Small Business Time of Use (ToU) Energy (Tariff code: BTOUE)</b>
Tariff description	<p>This is a tariff with volume (consumption) rates varying depending on the time of day, and with an inclining fixed charge structure.</p> <p>Secondary load control tariffs can be assessed with this primary tariff.</p>

Tariff class: Standard Asset Customers (SAC)	
Customer Type:	Small business customer consuming up to 100 MWh per year
Opt in / opt out arrangements	This tariff is optional for new and existing residential customers with a smart meter consuming up to 100 MWh per annum.
Tariff components and application	<p>Fixed charge: \$/day applies to each energised connection point for each day in the billing period. This tariff has five inclining fixed charge blocks.</p> <p>To select the applicable fixed charge, a customer is assigned to one of the five blocks depending on their electricity use, i.e., different rates apply to each 20MWh/year block.</p> <p>Block 1: Annual consumption up to 20 MWh/year  Block 2: Annual consumption 20 MWh/year up to 40 MWh/year  Block 3: Annual consumption 40 MWh/year up to 60 MWh/year  Block 4: Annual consumption 60 MWh/year up to 80 MWh/year  Block 5: Annual consumption equal to or exceeding 80 MWh/year</p> <p>The higher the customers annual energy consumption, the higher the \$/day fixed charge.</p> <p>Volume charge: A variable charge, calculated in \$/kWh, with different prices applying to the energy used at a connection point at different times of the day</p> <p>The following time periods apply to volume charges:</p> <p>Evening (peak): 4pm to 9pm on weekdays  Night (shoulder): 9pm to 9am on weekdays; 4pm to 9am on weekends  Day (off-peak): 9am to 4pm on weekdays and weekends</p>
<b>Tariff:</b>	<b>Small Business Primary Load Control Tariff (Tariff code: BPLC)</b>
Tariff description	On this tariff electricity supply will be available for a minimum of 18 hours per day during time periods set at the absolute discretion of Ergon Energy.
Opt in / opt out arrangements	This tariff is optional for eligible small business customers with a basic or smart meter consuming up to 100 MWh. For the terms and conditions of this tariff refer to Appendix H. More information on how load control tariffs operate and how to move to a load control tariff can be found <a href="http://www.ergon.com.au/loadcontroltariffs">www.ergon.com.au/loadcontroltariffs</a>
Tariff components and application	<p>Fixed charge: \$/day applies to each energised connection point for each day in billing period</p> <p>Volume charge: A flat volume charge, \$/kWh, applies based on kWh energy usage in billing period</p>
<b>Tariff:</b>	<b>Transitional Network ToU Energy Tariff 1</b>
Tariff description	This is a transitional tariff available to eligible customers only (see below)
Opt in / opt out arrangements	Optional tariff available only to existing SAC where they accessed transitional retail Tariff 62 at some point in the period 1 July 2017 to 30 June 2020.
	Fixed charge: \$/day applies to each energised connection point for each day in the billing period

Tariff class: Standard Asset Customers (SAC)	
Customer Type:	Small business customer consuming up to 100 MWh per year
Tariff components and application	<p>Volume charge: A variable charge, calculated in \$/kWh, with different prices applying to the energy used at a connection point at different times of the day</p> <p>The following time periods apply to volume charges:</p> <p style="padding-left: 40px;">Peak: 7am to 9pm on weekdays</p> <p style="padding-left: 40px;">Off-peak: All other times</p>
Tariff:	<b>Transitional Network ToU Energy Tariff 2</b>
Tariff description	This is a transitional tariff available to eligible customers only (see below)
Opt in / opt out arrangements	Optional tariff available only to existing SAC customers where they accessed transitional retail Tariff 65 at some point in the period 1 July 2017 to 30 June 2020.
Tariff components and application	<p>Fixed charge: \$/day applies to each energised connection point for each day in the billing period</p> <p>Volume charge: A variable charge, calculated in \$/kWh, with different prices applying to the energy used at a connection point at different times of the day</p> <p>The following time periods apply to volume charges:</p> <p style="padding-left: 40px;">Peak: As agreed between the retailer and the customer one of the following periods:</p> <p style="padding-left: 80px;">7am – 7pm or 7:30am – 7:30pm or 8am – 8pm</p> <p style="padding-left: 40px;">Off-peak: All other times</p>
	<b>Transitional Network Dual Rate Demand Tariff 3</b>
Tariff description	This is a transitional tariff available to eligible customers only (see below)
Opt in / opt out arrangements	Optional tariff available only to existing SAC customers where they accessed transitional retail Tariff 66 at some point in the period 1 July 2017 to 30 June 2020.
Tariff components and application	<p>Fixed charge: \$/day applies to each energised connection point for each day in the billing period</p> <p>Volume charge: A flat volume charge, \$/kWh, applies based on kWh energy usage in billing period</p> <p>Demand charge: A monthly charge calculated as \$/kW/month. Application of charges:</p> <p style="padding-left: 40px;">Minimum demand charge: Charge for pump size up to 7.5kW</p> <p style="padding-left: 40px;">Remaining demand charge: Charge for pump size &gt; 7.5kW</p> <p>This monthly \$ per kW charge is applied to the larger of the customer's pump size capacity, or 7.5kW.</p>

**Table 13: SAC Large customer optional primary tariff**

Tariff class: Standard Asset Customers (SAC)	
Customer Type:	Large customers consuming 100 MWh or above per year
Tariff:	<b>Demand Large (Tariff code: DLT)</b>



Tariff class: Standard Asset Customers (SAC)	
Customer Type:	Large customers consuming 100 MWh or above per year
Tariff description	The Demand Large tariff is an anytime demand tariffs (i.e., this tariff does not have a peak charging window for demand). The tariff has the same structure as the Demand Small and Demand Medium tariffs, however, the prices and the application of demand charges differ.
Opt in and opt out arrangements	Optional tariff for new and existing SAC large customers with a smart meter consuming 100 MWh or above per year.
Tariff components and application	Fixed charge: \$/day applies to each energised connection point for each day in the billing period
	Volume charge: A flat volume charge, \$/kWh, applies based on kWh energy usage in the billing period
	Demand charge: A monthly charge calculated as \$/kVA/month (or kW), applied to the kVA amount by which a customer's actual monthly maximum demand measured as a single peak over a 30-minute period during the month is greater than the demand threshold applicable to the customer's network tariff.
	Where the monthly metered maximum demand is less than the demand threshold, the chargeable demand for that month is set to zero and no demand charge is payable for that month. The threshold demands applicable to the SAC Large demand tariff is: Demand Large: 400 kW or 450 kVA Note: Where the customer has appropriate metering, demand charges will be applied to the maximum half hourly kVA. Where customer metering does not support kVA billing data being available, a kW denominated version of the tariff will continue to be available.
Tariff:	<b>Large Business Primary Load Control (Tariff code: LPLC)</b>
Tariff description	Total connected load is controlled by network equipment so supply will be permanently available for a minimum period of 18 hours per day during time periods set at the absolute discretion of Ergon Energy.
Opt in and opt out arrangements	Optional tariffs for existing and new SAC large customers with a smart or basic meter consuming 100 MWh or above per year. For the terms and conditions of this tariff refer to Appendix H. More information on how load control tariffs operate and how to move to a load control tariff can be found <a href="http://www.ergon.com.au/loadcontroltariffs">www.ergon.com.au/loadcontroltariffs</a>
Tariff components and application	Fixed charge: \$/day applies to each energised connection point for each day in the billing period
	Volume charge: A flat volume charge, \$/kWh, applies based on kWh energy usage in the billing period

## Secondary Tariffs for SAC customers

Secondary tariffs can generally only be accessed in conjunction with a primary tariff. For example, a residential customer, in addition to their primary tariff, may elect to have some appliances (e.g., hot water system) subject to a secondary 'controlled load' network tariff. Secondary tariffs are only available to SAC customers. Available secondary tariffs are described in the table below.



**Table 14: Secondary tariffs**

Tariff class: Standard Asset Customers (SAC)	
<b>Customer Type:</b>	<b>SAC Small Residential and Small business customer consuming up to 100 MWh per year</b>
<b>Tariff:</b>	<b>Volume Controlled (Tariff code: VC)</b>
Tariff description	<p>Specified connected appliances<sup>11</sup> are controlled by network equipment so supply will be permanently available for a minimum period of 18 hours per day during time periods set at the absolute discretion of Ergon Energy.</p> <p>This tariff can be used in conjunction with any primary SAC small tariff, except Small Business Primary Load Controlled tariff.</p>
Opt in / opt out arrangements	This tariff is available for eligible new and existing customers with basic or smart meters. For terms and conditions of this tariff refer to Appendix H.
Tariff components and application	Volume charge: A flat volume charge, \$/kWh, applies based on kWh energy usage in the billing period
<b>Tariff:</b>	<b>Volume Night Controlled (Tariff code: VN)</b>
Tariff description	<p>Specified connected appliances are controlled by network equipment so supply will be permanently available for a minimum period of 8 hours per day during time periods set at the absolute discretion of Ergon Energy.</p> <p>This tariff can be used in conjunction with any primary SAC Small tariff, except Small Business Primary Load Controlled tariff.</p>
Opt in / opt out arrangements	This tariff is available for eligible new and existing customers with basic or smart meters. For terms and conditions of this tariff refer to Appendix H.
Tariff components and application	Volume charge: A flat volume charge, \$/kWh, applies based on kWh energy usage in the billing period
<b>Customer Type:</b>	<b>Large customers consuming 100 MWh or above per year</b>
<b>Tariff:</b>	<b>Large Business Secondary Load Control Tariff (Tariff code: LSLC)</b>
Tariff description	Total connected load is controlled by network equipment so supply will be permanently available for a minimum period of 18 hours per day during time periods set at the absolute discretion of Ergon Energy.
Opt in / opt out arrangements	This tariff is available for eligible new and existing customers with basic or smart meters consuming 100 MWh or above per year. For terms and conditions of this tariff refer to Appendix H. More information on how load control tariffs operate and how to move to a load control tariff can be found <a href="http://www.ergon.com.au/loadcontroltariffs">www.ergon.com.au/loadcontroltariffs</a>
Tariff components and application	Volume charge: A flat volume charge, \$/kWh, applies based on kWh energy usage in billing period

<sup>11</sup> Approval of equipment to connect to controlled load network tariffs is at the absolute discretion of Ergon Energy. Where Ergon Energy's load control equipment exists, this may not be disconnected without Ergon Energy's prior written consent.

### 4.3.3. Closed SAC Tariffs

Table 15: Closed SAC tariffs

Tariff class: Standard Asset Customers (SAC)	
<b>Tariff:</b>	<b>Seasonal Time of Use Demand (Tariff code: STOUD)</b>
<b>Tariff description</b>	For this tariff all the tariff components, with the exception of the fixed charge, include both seasonal and time of day dimensions.
<b>Opt in / opt out arrangements</b>	<p>This tariff is limited to existing SAC Large customers who were assigned to this tariff as at 30 June 2020.</p> <p>Existing customers will be able to remain on this tariff and, should they choose to, will be able to request to be reassigned to the Large Business ToU Demand tariff, or applicable anytime demand tariff (Demand Large, Demand Medium and Demand Small).</p>
<b>Tariff components and application</b>	<p>Fixed charge: \$/day applies to each energised connection point for each day in the billing period</p> <p>Volume charge: A variable charge, calculated in \$/kWh, with different prices applying to the energy used at a connection point at different seasons (times of the year).</p> <p>The following time periods apply to volume charges:</p> <p style="padding-left: 40px;">Peak charge: All times during summer months of December, January, and February</p> <p style="padding-left: 40px;">Off-peak charge: All times during Non-Summer months</p> <p>None: The off-peak volume charge is higher than the peak charge. The DUOS peak volume charge is set to \$0/kWh during summer months (to reflect the higher demand charge that applies in summer). The TUOS and Jurisdictional Schemes component of the volume charge is same all year around.</p> <p>Demand charge: A monthly charge calculated as \$/kW/month, based on the maximum kW demand measured as a single peak over a 30-minute period during the peak demand charging window/timeframe.</p> <p style="padding-left: 40px;">Peak demand window: 10:00am to 8:00pm during Summer months (December, January, and February) weekdays</p> <p style="padding-left: 40px;">Off-peak demand window: All times during Non-Summer months</p> <p>Thresholds above which demand charges apply:</p> <p style="padding-left: 40px;">Peak: 20kW</p> <p style="padding-left: 40px;">Off-peak: 40kW</p> <p>The demand charge will be applied to the kW amount by which a customer's actual monthly maximum demand is greater than the demand threshold applicable to the relevant peak /off-peak period. Where the monthly metered maximum demand is less than the demand threshold, the chargeable demand for that month is set to zero.</p>

### 4.3.4 Default Major Customer Tariffs

**Table 16: Default CAC tariffs**

Tariff class: Connection Asset Customers (CAC)	
Customer Type:	Customers with a network coupling point at 66 kV, 33 kV, 22 kV, 11 kV and installed capacity above 1,000 kVA
Tariffs:	<b>66kV (Tariff code: C66)</b> <b>33kV (Tariff code: C33)</b> <b>22/11 kV Bus (Tariff code: C22B)</b> <b>22/11 kV Line (Tariff code: C22L)</b>
Tariff description	<p>These tariffs are designed for large commercial and industrial customers, typically with demand 1,000 kVA and above.</p> <p>CAC tariffs have site specific aspects which are required to calculate network charges (e.g., authorised demand, number of connection units).</p>
Opt in / opt out arrangements	Default for new and existing CAC customers connected with the appropriate network coupling point
Tariff components and application	Fixed charge: \$/day
	Volume charge: A flat volume charge, \$/kWh, applies based on kWh energy usage in the billing period
	Demand charge: A monthly charge calculated as \$/kVA/month, based on the maximum kVA demand measured as a single peak over a 30-minute period during the month.
	Capacity charge: Capacity charge is the greater of the authorised kVA demand or maximum kVA demand recorded in any 30-minute period during the billing month.
	<p>Where CACs have an alternate supply (in addition to their primary supply), the authorised kVA demand will be set at zero for the alternate supply.</p> <p>Connection unit charge: Connection unit charges apply for customers who have connected to our network under legacy arrangements, prior to 1 July 2010.</p> <p>The DUOS connection unit calculation multiplies the connection unit charge (\$/day) by the customer's site-specific number of connection units. Refer to Appendix D for example.</p>

**Table 17: ICC tariff**

Tariff class: Individually Calculated Customers (ICC)	
Customer Type:	Customers assigned to the ICC tariff class
Tariffs:	<b>Standard ICC tariff and Non-Standard ICC tariff (Tariff code: ICC)</b>
Tariff description	<p>ICC tariffs are site specific and are calculated on an individual basis to reflect the specific site's load requirements. ICC tariffs are confidential – they are provided directly to the customers and/or the customer's retailer (they are not published on our website).</p> <p>Standard ICC tariffs are not offered in the Mount Isa region.</p> <p>Non-Standard ICC tariffs are only available to eligible existing CAC customers that satisfy the criteria for the ICC tariff in accordance with Appendix A of the TSS. The price level of the DUOS peak demand tariff component of a non-standard ICC tariff is transitioned to the long run marginal cost over a reasonable period of transition to mitigate the impact of the introduction of cost reflective pricing. Note: Applications for non-standard ICC tariffs closed 1 July 2020 – these tariffs are not open to new customers.</p>

Tariff class: Individually Calculated Customers (ICC)	
Customer Type:	Customers assigned to the ICC tariff class
Opt in / opt out arrangements	All customers classified as an ICC must be on a site-specific ICC tariff. No other tariff options are available.
Tariff components and application	<p>Fixed charge: \$/day - These charges vary for each customer depending on the customer's connection assets and funding arrangements.</p> <p>Connection assets are the assets required to connect an electrical installation to the shared network and are all the assets from the connection point back up to and including the network coupling point. Dedicated connection assets are generally for the sole use of a single connection and are typically not shared by multiple connections. In circumstances where the network coupling point, and/or identification of dedicated connection assets, is unclear or contested, Ergon Energy Network will consider other information, including but not limited to, the customer's metering point to determine the network coupling point.</p>
	Volume charge: A flat volume charge, \$/kWh, applies based on kWh energy usage in the billing period
	Demand charge: A monthly charge calculated as \$/kVA/month, based on the maximum kVA demand measured as a single peak over a 30-minute period during the month.
	<p>Capacity charge: \$/kVA/month</p> <p>The capacity charge is the greater of the authorised demand (in kVA) or on the maximum kVA demand measured as a single peak over a 30-minute period during the month.</p>

### 4.3.5 Optional CAC tariffs

Table 18: CAC optional tariffs

Tariff class: Connection Asset Customers (CAC)	
Tariff:	<b>Seasonal Time of Use Demand 11 or 22 kV Bus (Tariff code: C22BTOUT)</b> <b>Seasonal Time of Use Demand 11 or 22 kV Line (Tariff code: C22LTOUT)</b> <b>Seasonal Time of Use Demand 33 or 66 kV (Tariff code: C66TOUT)</b>
Tariff description	The structure of these tariffs includes both a seasonal and time-of-day dimension, with a peak demand charge, an off-peak volume charge and a capacity charge (off-peak demand). These tariffs also have a connection unit charge.
Opt in / opt out arrangements	New and existing CAC customers may opt in to these tariffs, subject to customer's network coupling point and connection assets.
Tariff components and application	Fixed charge: \$/day applies
	<p>Volume charge: A variable charge, calculated in \$/kWh, with different prices applying to the energy used at a connection point at different seasons (times of the year).</p> <p>The following time periods apply to volume charges:</p> <p>Peak charge: all times during Summer months of December, January, and February</p> <p>Off-peak charge: all times during Non-Summer months</p> <p>None: The off-peak volume charge is higher than the peak charge. The DUOS peak volume charge is set to \$0/kWh during Summer months (to reflect the fact that the higher demand charge that applies in summer). The TUOS and Jurisdictional Schemes component of the volume charge is same all year around.</p>

#### Tariff class: Connection Asset Customers (CAC)

**Demand charge:** A monthly charge calculated as \$/kVA/month, based on the maximum kW demand measured as a single peak over a 30-minute period during the peak demand charging window/timeframe.

Peak demand window: 10am to 8:00pm during Summer months of December, January, and February on weekdays

#### Capacity charge:

The DUOS off-peak capacity charge calculation uses the maximum of authorised kVA demand or the monthly actual kVA maximum demand during the off-peak window, which is all times during non-summer months and all times during Summer months excluding demands occurring during the peak window of 10am to 8pm on Summer weekdays.

The TUOS capacity charge doesn't have seasonal or time-of use dimensions and uses the greater of the authorised kVA demand or any time maximum kVA demand recorded in any 30-minute period during the billing month.

**Connection unit charge:** Connection unit charges apply for customers who have connected to our network under legacy arrangements, prior to 1 July 2010.

The DUOS connection unit calculation multiplies the connection unit charge (\$/day) by the customer's site-specific number of connection units. Refer to Appendix D for example.

## 5. AUTHORISED DEMAND FOR CAC AND ICC'S

- Where there is no connection agreement in place defining an ICC or CAC's Authorised Demand (AD), Ergon Energy Network will determine an AD value to apply in network tariff calculations. Generally, this will be based on the annual maximum demands in the previous full pricing period prior to the setting of prices. Under certain circumstances, a more recent demand may be substituted (e.g., where there has been a significant change in demand after the previous full pricing period).
- Where there is no connection agreement, or where the connection agreement defines a ICCs or CACs AD in kW, Ergon Energy Network will convert the AD to a kVA measure as part of our annual price setting process. This conversion uses a compliant Power factor. Details of the customer's AD in kVA will be set out in the customer's site-specific tariff schedule.
- For CACs that have a primary and alternate supply (as deemed by Ergon Energy Network), the AD will be set to zero on the alternate supply NMI for the purpose of calculating TUOS capacity charges. Ergon Energy Network will also waive the TUOS fixed charge on the alternate supply NMI.

## 6. DISTRIBUTION LOSS FACTORS

### 6.1 Background

The NER require Ergon Energy Network to calculate DLFs annually, for each network tariff<sup>12</sup>. DLFs are approved by the AER and published by the Australian Energy Market Operator on their website.

Distribution Loss Factors (DLFs) are used by retailers in the energy trading and market settlement process to increase the customer's meter energy amount to account for electrical losses in the distribution network.

Network charges are calculated on the metered quantities and are not subject to DLF.

For more information on Ergon Energy's methodology for calculating DLFs, refer to the DLF methodology document on our website:

<https://www.ergon.com.au/network/our-network/regulation/distribution-loss-factors-methodology>

---

<sup>12</sup> Average DLFs are calculated for each significant supply level in the network, whereas DLFs for major customers are calculated individually to determine the losses directly attributable to their loads.

## 7. AVOIDED TUOS PAYMENTS TO EMBEDDED GENERATORS

### 7.1 Background

In accordance with the NER, Ergon Energy Network is required to pay Avoided Transmission Use of System (Avoided TUOS) to eligible Embedded Generators (EG) in Ergon Energy's distribution network. Avoided TUOS payments recognise that energy supplied to the electricity distribution network by the embedded generator would have otherwise been supplied from the transmission network.

Generally, to be eligible for Avoided TUOS payments the EGs must have:

- sought access to Ergon Energy's distribution network under Chapter 5 of the NER,
- a generator Connection Agreement with Ergon Energy Network and
- registered or intend to register with AEMO as a Generator Market Participant.<sup>13</sup>

If an exemption applies, or there is no intention for the EG to register as a Participant, we will not make Avoided TUOS payments.

In specific circumstances, Avoided TUOS payments may be allowed to be received by another entity other than the EG (for example where an intermediary is appointed and registered as a Generator under the NER).

### 7.2 Methodology for calculating avoided TUOS

In accordance with the NER, to calculate the avoided TUOS payments for eligible EGs, we:

- Determine the charges for the locational component of prescribed DPPC services that would have been payable by Ergon Energy Network had the EG not injected any energy at its connection point during that financial year.
- Determine the amount by which the charges calculated in (a) exceeds the amount for the locational component of prescribed DPPC services actually payable by Ergon Energy Network.
- Credit the value from (b) to the EG account.

#### Reverse flow and net load

Where electricity produced by the generator flows back into the transmission network at the transmission connection point (TCP), this is known as excess export, or reverse flow. Where there is reverse flow at the TCP level, that generation does not reduce our net load downstream of that TCP. Accordingly, we remove the reverse flowing electricity from the calculations of Avoided

<sup>13</sup> Some embedded generating units are required to register as a Generator Rules Participant under the NER.



TUOS. This means, our calculation of Avoided TUOS for a particular EG will be based on the difference between:

- 1) The actual net load at the TCP (and the relevant locational component of prescribed TUOS charges) and
- 2) The net load at the TCP if the EG was not there (and the relevant locational component of prescribed TUOS charges).

In the event that multiple EGs are connected to the same TCP, and there is reverse flow through the TCP, Ergon Energy Network will apportion the reverse flow attributable to each EG in line with the proportion of each EG's generation into the distribution network. For example, if Generator A exports 100 MWh in a month and Generator B exports 200 MWh in a month, and there is 30 MWh of excess export/reverse flow into the transmission network in that month, we will attribute 10 MWh to Generator A ( $100/300 \times 30 = 10$ ) and 20 MWh to Generator B ( $200/300 \times 30 = 20$ ).

### **Avoided TUOS calculation**

We use the below methodology to calculate Avoided TUOS:

- 1) determine the amount of energy sent out by the EG in the relevant financial year (kWh)
- 2) convert this to an equivalent amount of energy at the TCP, by adjusting the export energy by the DLF of the EG
- 3) determine the net generator output (i.e., the generator output that is utilised by the local distribution network, by subtracting the actual metered energy that flows back into the transmission network at the TCP). Where multiple generators are operating in the same local area, the reverse flow is apportioned to each EG using the principles outlined above
- 4) add the net generation output to the TCP actual metered data for the financial year
- 5) determine the TUOS that would have been charged if the generator was not connected, by recalculating the customer TUOS usage charges (demand and energy)
- 6) subtract the actual TUOS payment from the amount calculated in step 5
- 7) arrange payment of the resultant value from step 6 to the EG (or intermediary).

## **7.3 Payment of Avoided TUOS**

Avoided TUOS payments to EGs following the end of the relevant financial year will be made as agreed between Ergon Energy Network and the particular EG (or intermediary) and will generally be remitted in the form of a lump sum payment after 30 June.

## **7.4 Recovery of Avoided TUOS**

In accordance with the NER, Ergon Energy Network is able to recover costs associated with Avoided TUOS through TUOS charges in the network tariffs. Where we are to pay an Avoided TUOS payment to an EG, the payment amount is recovered as part of the TUOS volume charges passed through to customers at the same connection point as the EG.

## Appendix A: WIFT Fixed charge calculation methodology

The Small Business WIFT (tariff code: BWIF) is structured with five inclining blocks, each with a different \$/day fixed rate applicable and a flat volume rate (\$/kWh).

The WIFT tariff fixed charge blocks are:

	Annual consumption	Equivalent daily consumption kWh
<b>Block 1</b>	up to 20 MWh/year	Up to 54.79
<b>Block 2</b>	20 MWh/year up to 40 MWh/year	54.79 to 109.58
<b>Block 3</b>	40 MWh/year up to 60 MWh/year	109.58 to 164.38
<b>Block 4</b>	60 MWh/year up to 80 MWh/year	164.38 to 219.17
<b>Block 5</b>	equal to or exceeding 80 MWh/year	219.18

The WIFT fixed charge calculation methodology is as follows:

- 1) Calculate the total energy consumption (kWh) for the billing period
- 2) Calculate equivalent daily kWh value for the billing period = kWh consumption /number of days in the billing period
- 3) Identify which 'Block' the customers daily kWh value fits in and select the corresponding fixed charge rate from the Network Price List
- 4) Multiply the value calculated in Step 2 by the number of days in the billing period = this is the total fixed charge for the billing period

### Example:

A small business premises meter is read quarterly. On this occasion, the customers consumption is for the 5,000 kWh for that quarter's read.

*Equivalent daily consumption* = consumption divided by the number of days in the read =  $5,000/90 = 55.55$  kWh per day.

As 55.55 kWh is above Block 1 max threshold of 54.79 kWh but below Block 2 max threshold of 109.58 kWh, Block 2 should be selected

The inclining NUOS fixed charge = 90 days x 0.970 = \$87.30

The same methodology is applied for the calculation of the fixed charge component of the Small Business Time of Use Energy tariff (Tariff code: BTOUE).

**(Note:** The volume component of Small Business Time of Use Energy tariff is applied differently to the WIFT, as the ToU tariff has a variable volume charge)

## Appendix B: IBT charge calculation methodology

The IBT is structured with a fixed rate (\$/day) and three volume consumption blocks, each with a different rate (\$/kWh).

Block sizes and prices are different between residential and business customers IBT.

The IBT may be described in the context of an annual basis, however it is denominated and applied on a daily basis for billing purposes. For example, the IBT Residential consumption blocks are:

Block	Daily kWh	Annual equivalent kWh
Block 1	<2.74 kWh	<1,000 kWh p.a.
Block 2	2.74 kWh – 16.43 kWh	1,000 kWh p.a. – 6,000 kWh p.a.
Block 3	>16.43 kWh	>6,000 kWh p.a.

Daily denomination ensures the IBT billing is equitably applied for any meter reading period (including NMIs where a customer move-out/move-in occurs), based on an accumulated total of consumption divided by the number of days in the reading period.

The IBT network bill calculation methodology is as follows:

- a meter read is taken, with total consumption for the number of days within that meter reading period
- for IBT network billing purposes, the energy (kWh) assigned to each block is prorated back to a daily equivalent for that meter reading period
- the bill is then calculated with the component parts being a daily fixed charge, Volume Charge Block 1, Volume Charge Block 2 and Volume Charge Block 3
- daily calculations are then converted back to the total network charge by multiplication by the number of days in the meter reading period
- in relation to TUOS – the TUOS volume component will effectively remain as a flat rate for all IBTs (i.e. same TUOS rate applied in each tariff block or meter reading period) and the DLF is applied to the metered consumption for TUOS.

The IBT is calculated as follows:

Component	Calculation
Fixed Charge	Number of days in the period <i>multiplied by the</i> Fixed charge rate.
Volume Charge Block 1	<p>If equivalent daily consumption is less than the Block 1 daily allowance then:            equivalent daily consumption <i>multiplied by</i> Block 1 rate            multiplied by days in the meter reading period            no further calculations are required.</p> <p>Or, if equivalent daily consumption exceeds the Block 1 daily allowance then:            Block 1 volume charge calculation applied            proceed to Volume Charge Block 2 calculation.</p>
Volume Charge Block 2	<p>For consumption within the Block 2 allowance then:            equivalent daily consumption <i>less the</i> Block 1 daily allowance <i>multiplied by</i> Block 2 rate (up to the max block 2 threshold) multiplied by days in meter reading period.</p>
Volume Charge Block 3	<p>For any consumption above the aggregate of Block 1 and Block 2 daily allowance then:            remaining consumption above the Block 1 and Block 2 daily allowance <i>multiplied by the</i> Block 3 rate            multiplied by days in meter reading period.</p>

### Example:

A residential customer is typically read quarterly. On this occasion, the customer is read at 90 days with the start read being 123,400 kWh and the end read as 125,200 kWh. This equates to a consumption of 1,800 kWh for that quarter's read.

Currently, the prices for each DUOS component (excluding GST) of the IBT Residential East are as follows:

Fixed charge	Block 1 Rate	Block 2 Rate	Block 3 Rate
\$1.250	\$0.02194	\$0.05294	\$0.09069

### Calculation

*Equivalent Daily Consumption* = consumption *divided by* the number of days in the read =  $1,800/90 = 20.00$ .

Fixed Charge =  $90 \times \$1.250 = \$112.50$

Volume Charge Block 1 =  $2.74 \times \$0.02194 \times 90 = \$5.41$

Volume Charge Block 2 =  $(16.43 - 2.74) \times \$0.05294 \times 90 = \$65.23$

Volume Charge Block 3 =  $(20.00 - 2.74 - 13.69) \times \$0.09069 \times 90 = \$29.17$

Quarterly DUOS = \$212.31

The second quarter for this customer shows a total consumption of 200 kWh over 88 days for the period.

### Calculation

*Equivalent Daily Consumption* = consumption *divided by* the number of days in the read =  $200/88 = 2.27$

Fixed Charge =  $88 \times \$1.250 = \$110.00$

Volume Charge Block 1 =  $2.27 \times \$0.02194 \times 88 = \$4.38$

Volume Charge Block 2 =  $0 \times \$0.05294 \times 88 = \$0$

Volume Charge Block 3 =  $0 \times \$0.09069 \times 88 = \$0$

Quarterly DUOS = \$114.38

## Example:

A residential premise (e.g. a summer holiday beach) is typically read quarterly. On this occasion, the customer has the following consumption pattern.

	Meter reading period (days)	Consumption kWh
Quarter 1	90	1,000
Quarter 2	88	0
Quarter 3	93	0
Quarter 4	95	0

The meter reading at the start of quarter 1 is 240,000 kWh and the reading at the end of the fourth quarter is 241,000 kWh.

### Calculation – Quarter 1

*Equivalent Daily Consumption* = consumption divided by the number of days in the read =  $1,000/90 = 11.11$ .

Fixed Charge =  $90 \times \$1.250 = \$112.50$

Volume Charge Block 1 =  $2.74 \times \$0.02194 \times 90 = \$5.41$

Volume Charge Block 2 =  $(11.11 - 2.74) \times \$0.05294 \times 90 = \$39.88$

Volume Charge Block 3 =  $(0) \times \$0.09069 \times 90 = \$0$

Quarterly DUOS = \$157.79

### Calculation – Quarter 2

*Equivalent Daily Consumption* = consumption divided by the number of days in the read =  $0/88 = 00.00$ .

Fixed Charge =  $88 \times \$1.250 = \$110.000$

Volume Charge Block 1 =  $(0) \times \$0.02194 \times 88 = \$0$

Volume Block 2 =  $(0) \times \$0.05294 \times 88 = \$0$

Volume Block 3 =  $(0) \times \$0.09069 \times 88 = \$0$

Quarterly DUOS = \$110.00

### Calculation – Quarter 3

*Equivalent Daily Consumption* = consumption divided by the number of days in the read =  $0/93 = 00.00$ .

Fixed Charge =  $93 \times \$1.250 = \$116.25$

Volume Charge Block 1 =  $(0) \times \$0.02194 \times 93 = \$0$

Volume Charge Block 2 =  $(0) \times \$0.05294 \times 93 = \$0$

Volume Charge Block 3 =  $(0) \times \$0.09069 \times 93 = \$0$

Quarterly DUOS = \$116.25

### Calculation – Quarter 4

---

*Equivalent Daily Consumption* = consumption *divided by* the number of days in the read = 0/95 = 00.00.

Fixed Charge =  $95 \times \$1.250 = \$118.75$

Volume Charge Block 1 =  $(0) \times \$0.02194 \times 95 = \$0$

Volume Charge Block 2 =  $(0) \times \$0.05294 \times 95 = \$0$

Volume Charge Block 3 =  $(0) \times \$0.09069 \times 95 = \$0$

Quarterly DUOS = \$118.75

---

Total Annual DUOS (excluding GST) = \$502.79

## Appendix C: Seasonal TOU Demand tariff calculation examples

**Note:** All amounts in the worked examples below relate to DUOS only

### CAC STOU Example:

Network Tariff Code	DUOS Charges (GST exclusive)				
	Connection Unit Charge	Fixed Charge	Capacity charge Off-peak	Actual Demand Charge Peak	Volume charge Off-peak
	\$/day per connection unit	\$/day	\$/kVA of AD/month	\$/kVA/month	\$/kWh
EC66TOUT1	\$9.209	\$0.000	\$5.535	\$11.000	\$0.00370

### Example:

Where the customer's:

AD = 4,000 kVA

Connection Units = 0

Actual Demand Peak for the month = 3,600 kVA

Actual Demand Off-Peak for the month = 3,900 kVA

Energy for the month = 1,600,000 kWh

### Calculation – Month of January (Summer)

Connection Unit Charge =  $\$9.209 \times 31 \text{ days} \times 0 \text{ connection units} = \$0.00$

Fixed Daily Charge =  $\$0.00$

Capacity Charge Off-peak =  $\$5.535 \times 4,000 \text{ kVA} = \$22,140.00$

Actual Demand Charge Peak =  $\$11.000 \times 3,600 \text{ kVA} = \$39,600.00$

Volume Charge Off-peak = Does not apply during a summer month

Total monthly DUOS =  $\$61,740.00$

### Calculation – Month of September (Non-summer)

Connection Unit Charge =  $\$9.209 \times 30 \text{ days} \times 0 \text{ connection units} = \$0.00$

Fixed Daily Charge =  $\$0.00$

Capacity Charge Off-peak =  $\$5.535 \times 4,000 \text{ kVA} = \$22,140.00$

Actual Demand Charge Peak = Does not apply during a non-summer month

Volume Charge Off-peak =  $\$0.00370 \times 1,600,000 \text{ kWh} = \$5,920.00$

Total monthly DUOS =  $\$28,060.00$



## SAC Large STOOD Example:

Network Tariff Code	Threshold above which demand charge applies		DUOS charges (GST exclusive)				
			Fixed charge	Actual Demand charge		Volume charge Peak	Volume charge Off-peak
	Peak kW	Off-peak kW		Peak	Off-peak		
			\$/day	\$/kW/ month	\$/kW/ month	\$/kWh	\$/kWh
ESTOUDCT1	20	40	\$27.000	\$59.087	\$9.499	\$0.00000	\$0.02227

### Example 1:

Where the customer's:

Peak demand for the month = 50 kW

Peak energy for the month = 20,000 kWh

#### Calculation – Month of February (Summer)

Fixed Charge =  $\$27.000 \times 28 \text{ days} = \$756.00$

Actual Demand Charge Peak =  $\$59.087 \times (50 \text{ kW} - 20 \text{ kW}) = \$1,772.61$

Actual Demand Charge Off-peak = Does not apply during a summer month

Volume Charge Off-peak = Does not apply during a summer month

Total monthly DUOS = \$2,528.61

### Example 2:

Where the customer's:

Off-peak demand for the month = 40 kW

Off-peak energy for the month = 25,000 kWh

#### Calculation – Month of July (Non-summer)

Fixed Charge =  $\$27.000 \times 31 \text{ days} = \$837.00$

Actual Demand Charge Peak = Does not apply during a non-summer month

Actual Demand Charge Off-peak =  $\$9.499 \times (40 \text{ kW} - 40 \text{ kW}) = \$0$

Volume Charge Off-peak =  $\$0.02227 \times 25,000 \text{ kWh} = \$556.75$

Total monthly DUOS = \$1,393.75

## Appendix D: CAC connection unit charge examples

**Note:** Amounts included in the worked examples below relate to DUOS only

Network Tariff Code	Default DLF	DUOS charges (GST exclusive)				
		Connection Unit Charge	Fixed Charge	Capacity Charge	Actual Demand Charge	Volume Charge
	Value	\$/day / connection unit	\$/day	\$/kVA of AD per month	\$/kVA per month	\$/kWh
EC66T1	Site specific	\$9.209	\$121.200	\$3.283	\$2.388	\$0.00421

### Example 1:

Where the customer's:

Authorised Demand = 3,500 kVA

Connection Units = 11

Actual Demand for the month = 3,000 kVA

Energy for the month = 1,400,000 kWh

### Calculation

Connection Unit Charge =  $\$9.209 \times 30 \text{ days} \times 11 \text{ connection units} = \$3,038.97$

Fixed Charge =  $\$121.200 \times 30 = \$3,636.00$

Capacity Charge =  $\$3.283 \times 3,500 \text{ kVA} = \$11,490.50$

Actual Demand Charge =  $\$2.388 \times 3,000 \text{ kVA} = \$7,164.00$

Volume Charge =  $\$0.00421 \times 1,400,000 \text{ kWh} = \$5,894.00$

Total monthly DUOS =  $\$31,223.47$

---

**Example 2:**

Where the customer's:

Authorised Demand = 4,000 kVA

Connection Units = 0

Actual Demand for the month = 3,900 kVA

Energy for the month = 1,900,000 kWh

**Calculation**

Connection Unit Charge =  $\$9.209 \times 30 \text{ days} \times 0 \text{ connection units} = \$0$

Fixed Charge =  $\$121.200 \times 30 = \$3,636.00$

Capacity Charge =  $\$3.283 \times 4,000 \text{ kVA} = \$13,132.00$

Actual Demand Charge =  $\$2.388 \times 3,900 \text{ kVA} = \$9,313.20$

Volume Charge =  $\$0.00421 \times 1,900,000 \text{ kWh} = \$7,999.00$

Total monthly DUOS =  $\$34,080.20$

## Appendix E: Transitional Network Dual Rate Demand Tariff 3 - Demand Charge calculation methodology

The Demand Charge within the Transitional Network Dual Rate Demand Tariff 3 is a monthly charge calculated as \$/kW/month with a minimum demand charge of 7.5kW.

Application of Demand Charges	Block	Monthly kW
Minimum Demand Charge	Step 1	up to 7.5 kW
Remaining Demand Charge Above Minimum	Step 2	> 7.5 kW

Demand Charges will be calculated as follows:

Component	Calculation
Minimum Demand Charge	<p>If demand pump size is less than or equal to minimum demand value of 7.5kW, then:</p> <p>minimum demand value of 7.5kW multiplied by 12 months</p> <p>divided by 365.25 days</p> <p>multiplied by days in meter reading period – <i>(The resulting value will be displayed in the Quantity field of the Statement of Charge)</i></p> <p>multiplied by minimum demand rate</p> <p>Or, if pump size exceeds the minimum demand value of 7.5kW, then:</p> <p>minimum demand charge calculation applied</p> <p>proceed to Remaining Demand Charge calculation</p>
Remaining Demand Charge	<p>For remaining demand charges</p> <p>Demand pump size less minimum demand value of 7.5kW, multiplied by 12 months</p> <p>divided by 365.25 days</p> <p>multiplied by days in meter reading period – <i>(The resulting value will be displayed in the Quantity field of the Statement of Charge)</i></p> <p>multiplied by remaining demand rate</p>

The following examples display the proration calculation methodology that will be applied. For Examples 1 to 4, the prices for the DUOS component (excluding GST) of the demand charges are as follows:

Minimum Demand Rate	Remaining Demand Rate
\$3.154	\$9.522

---

**Example 1:**

A customer has a pump demand size of 5kW, and a customer read creates an invoice period of 31 days.

---

**Calculation**

Minimum Demand Charge =  $(7.5 \times 12 / 365.25 \times 31) \times \$3.154 = \$24.09$

NUOS Statement of Charge - Minimum Demand Quantity = 7.639 kW

---

**Example 2:**

A customer has a pump demand size of 5kW, and a customer read creates an invoice period of 90 days.

---

**Calculation**

Minimum Demand Charge =  $(7.5 \times 12 / 365.25 \times 90) \times \$3.154 = \$69.95$

NUOS Statement of Charge - Minimum Demand Quantity = 22.177 kW

---

**Example 3:**

A customer has a pump demand size of 10kW, and a customer read creates an invoice period of 31 days.

---

**Calculation**

Minimum Demand Charge =  $(7.5 \times 12 / 365.25 \times 31) \times \$3.154 = \$24.09$

Remaining Demand Charge =  $(2.5 \times 12 / 365.25 \times 31) \times \$9.522 = \$24.24$

NUOS Statement of Charge - Minimum Demand Quantity = 7.639 kW

NUOS Statement of Charge - Remaining Demand Quantity = 2.546 kW

---

**Example 4:**

A customer has a pump demand size of 10kW, and a customer read creates an invoice period of 90 days.

---

**Calculation**

Minimum Demand Charge =  $(7.5 \times 12 / 365.25 \times 90) \times \$3.154 = \$69.95$

Remaining Demand Charge =  $(2.5 \times 12 / 365.25 \times 90) \times \$9.522 = \$70.39$

NUOS Statement of Charge - Minimum Demand Quantity = 22.177 kW

---

---

NUOS Statement of Charge - Remaining Demand Quantity = 7.392 kW

---

For Example 5, the prices for the DUOS component (excluding GST) of the demand charges are as follows:

Rate Period	Minimum Demand Rate	Remaining Demand Rate
01/07/2021 to 30/06/2022	\$3.154	\$9.522
01/07/2022 to 30/06/2023	\$4.444	\$9.999

**Example 5:**

A customer has a pump demand size of 10kW, and a customer read creates an invoice period of 31 days. The invoice period is across a rate change.

---

**Calculation - First Rate Period**

---

*11 day period*

Minimum Demand Charge =  $(7.5 \times 12 / 365.25 \times 11) \times \$3.154 = \$8.55$

Remaining Demand Charge =  $(2.5 \times 12 / 365.25 \times 11) \times \$9.522 = \$8.60$

NUOS Statement of Charge - Minimum Demand Quantity = 2.710 kW

NUOS Statement of Charge - Remaining Demand Quantity = 0.903 kW

---

**Calculation - Second Rate Period**

---

*20 day period*

Minimum Demand Charge =  $(7.5 \times 12 / 365.25 \times 20) \times \$4.444 = \$21.90$

Remaining Demand Charge =  $(2.5 \times 12 / 365.25 \times 20) \times \$9.999 = \$16.43$

NUOS Statement of Charge - Minimum Demand Quantity = 4.928 kW

NUOS Statement of Charge - Remaining Demand Quantity = 1.643 kW

---

## Appendix F: TUOS regions and transmission connection points

Ergon Energy's TUOS tariff structures are based on geographical transmission regions (e.g., T1, T2, T3 or T4). The transmission regions are based on groupings of Transmission Connection Points.

A list of all the transmission connection points, their assigned transmission node identifiers and their geographical TUOS region is provided in the table below.

TUOS regional indicators for CAC and SAC network tariffs		
Transmission Node Identifier	TUOS Region	Transmission Connection Point
Mt Isa	T4	Mount Isa
QALC	T2	Alligator Creek
QALH	T2	Louisa Creek
QASF	T2	Alan Sherriff
QBIL	T1	Biloela
QBLK	T1	Bulli Creek
QBNN	T2	Bowen North
QBWH	T1	Blackwater 132kV (Rolleston)
QBWL	T1	Blackwater 66 kV
QCAR	T1	Gladstone North (Calliope River)
QCBL	T1	Columboola
QCDW	T3	Cardwell
QCHA	T1	Chinchilla
QCLR	T2	Clare South
QCNS	T3	Cairns 132kV
QCOL	T2	Collinsville
QCRN	T3	Cairns 22 kV
QDGL	T2	Dan Gleeson
QDYS	T1	Dysart
QEGN	T1	Egans Hill
QELA	T3	El Arish
QEMS	T2	Kemmis
QEMT	T3	Edmonton
QGAR	T2	Garbutt
QGNG	T1	Gin Gin
QGST	T1	Gladstone South
QINF	T3	Innisfail



**TUOS regional indicators for CAC and SAC network tariffs**

QING	T3	Ingham
QKAM	T3	Kamerunga
QKCK	T2	King Creek
QLCM	T1	Lilyvale 132kV
QLIL	T1	Lilyvale 66 kV
QMKA	T2	Mackay
QMRA	T1	Moura
QMRG	T1	Middle Ridge
QMRH	T1	Broadlea
QMRL	T1	Moranbah 11 kV
QMRN	T1	Moranbah 66 kV
QNEB	T2	Nebo
QNLD	T2	Newlands
QOKT	T1	Oakey
QPAL	T1	Pandoin
QPIV	T2	Pioneer Valley
QPRO	T2	Proserpine
QROC	T1	Rockhampton
QROS	T2	Ross
QSYC	T2	Stony Creek
QTBC	T1	Teebar Creek
QTKM	T1	Tangkam
QTLL	T3	Tully
QTRL	T1	Tarong 66 kV
QTUH	T3	Turkinje 132kV
QTUL	T3	Turkinje 66 kV
QTVE	T2	Townsville East
QTVS	T2	Townsville South
QWLN	T1	Woolooga
QWRE	T3	Woree
QWSH	T1	Wandoan South
QYAE	T1	Boat Creek

## Appendix G: Terms and conditions for load control tariffs

	SAC Small		SAC Large	
	Primary Load Control Tariff – Business	Secondary Load Control Tariffs – Business or Residential	Primary Load Control Tariff – Business	Secondary Load Control Tariff – Business
<b>Availability of Electricity Supply</b>	<ul style="list-style-type: none"> <li>Electricity supply will be available for a minimum period of 18 hours per day during time periods set at the absolute discretion of the Distribution Network Provider (DNSP).</li> <li>In emergency conditions as an alternative to removing all supply, we reserve the right to control the load for periods in excess of the times stated in the tariff conditions.</li> </ul>	<ul style="list-style-type: none"> <li>Electricity supply will be available for either a minimum period of 18 hours per day (Volume Controlled tariff) or a minimum of 8 hours per day, (Volume Night Controlled tariff) depending on which load control tariff option is chosen. Times when supply is available is subject to variation at the absolute discretion of the Distribution Network Provider (DNSP).</li> <li>In emergency conditions as an alternative to removing all supply, we reserve the right to control the load for periods in excess of the times stated in the tariff conditions.</li> </ul>	<ul style="list-style-type: none"> <li>Electricity supply will be available for a minimum period of 18 hours per day during time periods set at the absolute discretion of the Distribution Network Provider (DNSP).</li> <li>In emergency conditions as an alternative to removing all supply, we reserve the right to control the load for periods in excess of the times stated in the tariff conditions.</li> </ul>	<ul style="list-style-type: none"> <li>Electricity supply will be available for a minimum period of 18 hours per day during time periods set at the absolute discretion of the Distribution Network Provider (DNSP).</li> <li>In emergency conditions as an alternative to removing all supply, we reserve the right to control the load for periods in excess of the times stated in the tariff conditions.</li> </ul>
<b>Eligibility Criteria for Load Control Tariff access</b>	<ul style="list-style-type: none"> <li>Any business customer, regardless of their metering type, can access the tariff.</li> <li>Standard connection times apply in accordance with the Guaranteed Service Levels or as agreed.</li> </ul>	<ul style="list-style-type: none"> <li>Any customer, regardless of their metering type, can access the tariff.</li> <li>Standard connection times apply in accordance with the Guaranteed Service Levels or as agreed.</li> </ul>	<ul style="list-style-type: none"> <li>Any customer, regardless of their metering type, can access the tariff.</li> <li>Customer MUST be in an area that the relevant DNSP is able to actively remove / reinstate supply through the DNSPs standard load control signalling technology.</li> <li>Eligibility for this tariff may require a network assessment. If a network assessment is required to identify any</li> </ul>	<ul style="list-style-type: none"> <li>Any customer, regardless of their metering type, can access the tariff.</li> <li>Customers eligible for the Large Residential Energy (REST) tariff may access this tariff.</li> <li>Customer MUST be in an area that relevant DNSP is able to remove / reinstate supply through the DNSPs standard load control signalling technology.</li> <li>Eligibility for this tariff may require a network assessment. If a</li> </ul>

	SAC Small		SAC Large	
	Primary Load Control Tariff – Business	Secondary Load Control Tariffs – Business or Residential	Primary Load Control Tariff – Business	Secondary Load Control Tariff – Business
<b>Technical and Wiring Requirements</b>			<p>adverse impact on the network, it may delay the approval process. The impact assessment may include but is not limited to the nature / size of the load or in consideration of existing load control capacity in the same network area.</p> <ul style="list-style-type: none"> <li>Standard connection times apply in accordance with the Guaranteed Service Levels or as agreed.</li> <li>The customer will notify us of any change greater than 30kW to the existing approved load connected to the tariff.</li> </ul>	<p>network assessment is required by the DNSP to identify any adverse impact on the network, it may delay the approval process. The impact assessment may include but is not limited to the nature / size of the load or in consideration of existing load control capacity in the same network area.</p> <ul style="list-style-type: none"> <li>Standard connection times apply in accordance with the Guaranteed Service Levels or as agreed.</li> <li>The customer will notify us of any change greater than 30kW to the existing and approved load connected to the tariff.</li> </ul>
	<ul style="list-style-type: none"> <li>The premises must have been wired in accordance with the requirements of the Queensland Electricity Connection Manual (QECM) at the time of requesting access to the tariff and must comply with jurisdictional metering requirements.</li> <li>Hard wired and non-hard wired permitted</li> <li>The equipment to be connected to load control tariff must be suitable to be controlled through interface with the standard network</li> </ul>	<ul style="list-style-type: none"> <li>The premises must have been wired in accordance with the requirements of the Queensland Electricity Connection Manual (QECM) at the time of requesting access to the tariff and must comply with jurisdictional metering requirements.</li> <li>Hard wired only, except for the exemptions outlined below</li> <li>The equipment to be connected to load control tariff must be suitable to be controlled through interface with the standard network device, supplied by us. Where a contactor is required, it shall be supplied by the customer. (as per QECM)</li> </ul>	<ul style="list-style-type: none"> <li>The premises must have been wired in accordance with the requirements of the Queensland Electricity Connection Manual (QECM) at the time of requesting access to the tariff and must comply with jurisdictional metering requirements.</li> <li>Hard wired and non-hard wired permitted</li> <li>The equipment to be connected to load control tariff must be suitable to be controlled through interface with the standard network</li> </ul>	<ul style="list-style-type: none"> <li>The premises must have been wired in accordance with the requirements of the Queensland Electricity Connection Manual (QECM) at the time of requesting access to the tariff and must comply with jurisdictional metering requirements.</li> <li>Hard wired only except for the exemptions outlined below</li> <li>The equipment to be connected to load control tariff must be suitable to be controlled through interface with the standard network device, supplied by Ergon Energy. Where a contactor is required, it shall be</li> </ul>

SAC Small		SAC Large	
Primary Load Control Tariff – Business	Secondary Load Control Tariffs – Business or Residential	Primary Load Control Tariff – Business	Secondary Load Control Tariff – Business
<p>device, supplied by us. Where a contactor is required, it shall be supplied by the customer (as per QECM)</p> <ul style="list-style-type: none"> <li>Any additions and alterations to the electrical installation to enable load control equipment to be installed, as per the QECM requirements, is the responsibility of the customer eg contactors and meter wiring.</li> </ul>	<ul style="list-style-type: none"> <li>This tariff will be removed from any premises where the customer has the ability to supply the appliance or equipment via another tariff (eg changeover switch to a primary tariff). The primary tariff rate will apply until the defect is rectified.</li> <li>Any additions and alterations to the electrical installation to enable load control equipment to be installed, as per the requirements of the QECM, is the responsibility of the customer eg contactors and meter wiring.</li> </ul>	<p>device, supplied by us. Where a contactor is required, it shall be supplied by the customer. (as per QECM)</p> <ul style="list-style-type: none"> <li>Any additions and alterations to the electrical installation to enable load control equipment to be installed, as per requirements of the QECM, is the responsibility of the customer eg contactors and meter wiring.</li> </ul>	<p>supplied by the customer. (as per QECM)</p> <ul style="list-style-type: none"> <li>This tariff will be removed from any premises where the customer has the ability to supply the appliance or equipment via another tariff (eg changeover switch to a primary tariff). The primary tariff rate will apply until the defect is rectified.</li> <li>Any additions and alterations to the electrical installation to enable load control equipment to be installed, as per the requirements of the QECM, is the responsibility of the customer eg contactors and meter wiring.</li> </ul>
<p><b>Eligible Equipment to be connected to load control tariffs</b></p> <ul style="list-style-type: none"> <li>Customers can connect general light and power, including the following equipment or appliances to this tariff: <ul style="list-style-type: none"> <li>(i) Electric storage water heaters with thermostatically controlled or continuously operating heating units.</li> <li>(ii) Boost elements of solar-heated water heaters.</li> <li>(iii) Electric Vehicle Supply Equipment (EV Chargers).</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>Electricity supply must be permanently connected to the items on the approved list, (except for pool filtration systems). <ul style="list-style-type: none"> <li>(i) Electric storage water heaters with thermostatically controlled or continuously operating heating units.</li> <li>(ii) Boost elements of solar-heated water heaters.</li> <li>(iii) Electric Vehicle Supply Equipment (EV Chargers).</li> <li>(iv) Pool filtration systems.</li> <li>(v) Heat pump water heaters.</li> <li>(vi) Other appliances (e.g. washing machines and dishwashers).</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>Customers can connect all light and power, including the following equipment or appliances to this tariff: <ul style="list-style-type: none"> <li>(i) Electric storage water heaters with thermostatically controlled or continuously operating heating units.</li> <li>(ii) Boost elements of solar-heated water heaters.</li> <li>(iii) Electric Vehicle Supply Equipment (EV Chargers).</li> <li>(iv) Pool filtration systems.</li> <li>(v) Heat pump water heaters.</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>Electricity supply must be permanently connected to the items on the approved list, except for pool filtration systems which may be supplied through a dedicated socket outlet: <ul style="list-style-type: none"> <li>(i) Electric storage water heaters with thermostatically controlled or continuously operating heating units.</li> <li>(ii) Boost elements of solar-heated water heaters.</li> <li>(iii) Electric Vehicle Supply Equipment (EV Chargers).</li> <li>(iv) Pool filtration systems.</li> <li>(v) Heat pump water heaters.</li> </ul> </li> </ul>

SAC Small		SAC Large	
Primary Load Control Tariff – Business	Secondary Load Control Tariffs – Business or Residential	Primary Load Control Tariff – Business	Secondary Load Control Tariff – Business
(iv) Pool filtration systems.	(vii) Pumping and irrigation equipment.	(vi) Other appliances (e.g. washing machines and dishwashers).	(vi) Other appliances (e.g. washing machines and dishwashers).
(v) Heat pump water heaters.	(viii) Battery Energy Storage Systems (BESS)	(vii) Pumping and irrigation equipment.	(vii) Pumping and irrigation equipment.
(vi) Other appliances (e.g. washing machines and dishwashers)	(ix) Solar PV	(viii) Battery Energy Storage Systems (BESS).	(viii) Battery Energy Storage Systems (BESS).
(vii) Pumping and irrigation equipment	(x) Other equipment as approved by us (non-domestic premises only)	(ix) Solar PV.	(ix) Solar PV
(viii) Battery Energy Storage Systems (BESS)		(x) Other equipment as approved by us	(x) Other equipment as approved by us
(ix) Solar PV			
(x) Other equipment as approved by us.			

## Appendix H: Glossary

**Table 19: Definitions of terminology used throughout this document**

Term	Acronym	Definition
Alternative Control Service	ACS	Customer specific or customer requested services. These services may also have potential for provision on a competitive basis rather than by the local DNSP.
Anytime Maximum Demand	AMD	The demand for some network tariffs is calculated using 'any-time' demand. For these tariffs, the customers chargeable maximum demand is the highest 30 minute demand period regardless of when that occurs during the month.
Authorised demand		The maximum demand permitted to be imported or exported to the network by a network user, based on the nature of their connection.
Business hours	BH	8 am to 5 pm, Monday to Friday.
Basic meter		Basic accumulation meters are defined as a meter that is only capable to recording the customers' energy consumption during the billing period.
Capacity charge		A type of charge (charging parameter) included in network tariff structures. The capacity charge seeks to reflect the costs associated with providing network capacity required by a customer on a long term basis. It is levied on the basis of either contracted demand or forecasted capacity using prior year information.
Charging parameter		The charges comprising a tariff. Parameters include demand, capacity, fixed and volume (flat or time-of-use) charges.
Common service		A service that ensures the integrity of a distribution system, benefits all distribution customers and cannot reasonably be allocated on a locational basis.
Connection asset (Contributed or non-contributed)		Related to building connection assets at a customer's premises as well as the connection of these assets to the distribution network. Connection assets can be contributed (customer funded, then gifted to Ergon Energy Network) or non-contributed (Ergon Energy Network funded).
Connection point		The agreed point of supply established between a Network Service Provider and another Registered Participant, Non-Registered Customer or franchise customer. The meter is installed as close as possible to this location.
Customer		Refer to chapter 10 of the NER.
Demand		The amount of electricity energy being consumed at a given time measured in either kilowatts (kW) or kilovolt amperes (kVA). The ratio between the two is the power factor.
Demand charge		A type of charge (charging parameter) included in network tariff structures. This charge accounts for the actual demand a customer places on the electricity network. Different parameters apply to this charge depending on the different tariffs, however in all tariffs, demand is average of a 30-minute period, not the highest instantaneous demand within the half hour period.
Demand tariff		The tariff has been structured to include a demand component so the customer's actual demand is reflected in the price they pay for their electricity.
Designated Pricing Proposal Charge	DPPC	Refers to the charges incurred for use of the transmission network; previously referred to as Transmission Use of System (TUOS).

Term	Acronym	Definition
Distribution Use of System	DUOS	This refers to the network charges which recover the costs of providing Standard Control Services.
Energy (or usage)		The amount of electricity consumed by a customer (or all customers) over a period of time. Energy is measured in terms of watt hours (Wh), kilowatt hours (kWh), megawatt hours (MWh) or gigawatt hours (GWh).
Feed-in Tariff	FiT	The rate that is to be paid for the excess energy generated by customers and fed back into the electricity grid under the Queensland Solar Bonus Scheme. The FiT rate is determined by the Queensland Government and is paid by the purchaser of the excess energy.
Fixed (or access) charge		A type of charge (charging parameter) included in network tariff structures which is levied on a fixed dollar amount per day.
High Voltage	HV	Refers to the network at 11 kV or above.
Large customer classification		As per tariff class assignment process for customers with consumption greater than 100 MWh per year.
Low Voltage	LV	Refers to the sub-11 kV network
Maximum demand		The maximum demand recorded at a customer's individual meter or the maximum demand placed on the electrical distribution network system at any time or at a specific time or within a specific time period, such as a month. Maximum demand is an indication of the capacity required for a customer's connection or the electrical distribution network.
National Metering Identifier	NMI	A unique number assigned to each metering installation.
Network capacity		The maximum demand (kW) that the distribution network can provide for at any one time.
Network Coupling Point	NCP	The point at which connection assets join a distribution network, used to identify the distribution service price payable by a customer.
Network Tariff Code	NTC	Ergon Energy's nominated code that represents the network tariff being charged to customers for network services.
Network Use of System	NUOS	The tariff for use of the distribution and transmission networks. It is the sum of both Distribution Use of System (DUOS) and DPPC.
Non-demand tariff		The tariff is based around a fixed daily component and the actual usage (or energy), expressed in kWh, used by the customer.
Power factor		Power factor is the ratio of kW to kVA, and is a useful measure of the efficiency in the use of the network infrastructure. The closer the power factor is to one (1), the more efficiently the network assets are utilised. Power factor = kW / kVA
Public lights - Major		Lamps in common use for major road lighting including: High Pressure Sodium above 100 watt Metal Halide above 125 watt Mercury Vapour above 125 watt, and Light Emitting Diode 36 watt and above.



Term	Acronym	Definition
Public lights - Minor		All lamps in common use for minor road lighting, including: High Pressure Sodium – up to and including 100 watt Metal Halide – up to and including 125 watt Mercury Vapour – up to and including 125 watt Light Emitting Diode below 36 watt Compact Fluorescent, Fluorescent and Incandescent – all wattages, and Low Pressure Sodium – all wattages.
Queensland Government Solar Bonus Scheme	SBS FiT	A program that pays residential and other small energy customers for the surplus electricity generated from roof-top solar photovoltaic (PV) systems that is exported to the Queensland electricity grid.
Site-specific charge		This charge is calculated for a site and is specific to the individual connection point.
Small customer classification		As per tariff class assignment process for customers with consumption less than 100 MWh per year.
Smart meter		Digital, interval and advanced Type 1-4 meters. Meters capable of measuring electricity usage in specific time intervals and enabling tariffs that can vary by time of day.
Solar Photovoltaic	Solar PV	A system that uses sunlight to generate electricity for residential use. The system provides power for the premises with any excess production feeding into the electricity grid.
Standard Control Service	SCS	Distribution services that are central to electricity supply and therefore relied on by most (if not all) customers. This service classification includes network services (e.g. construction, maintenance and repair of the network), basic connection services and Type 7 metering services (i.e. unmetered connections such as traffic lights).
Tariff		The set of charges applied to a customer in the respective billing period. A tariff consists of one or more charging parameters that comprise the total tariff rate.
Threshold demand		The amount by which a SAC Large customer's metered monthly actual kW maximum demand is adjusted for the purposes of calculating the demand component of their network tariff.  The actual demand charge for any time demand tariffs and the peak and off-peak demand charges for the Seasonal Time of Use Demand tariffs are applied to the kW amount by which the recorded monthly maximum demand exceeds the relevant threshold. This demand may occur at any time during the month (actual demand charge and off-peak demand charge) or during a set peak period (peak charge).  Where the monthly metered maximum demand is less than the demand threshold, the chargeable demand for that month is set to zero.
Time-of-use	ToU	A type of network tariff where the price per kWh varies according to when the consumption occurs. The TOU tariff may apply a different price during peak, shoulder and off-peak periods.
Transmission Use of System charge	TUOS	Superseded terminology for DPPC which are charges incurred for use of the transmission network.
Type 4a meter		Type 4A meters are smart meters recording interval data which can be billed on a kW basis.

Term	Acronym	Definition
Unmetered supply		A customer who takes supply where no meter is installed at the connection point.
Usage or Volume charge		A type of charge (charging parameter) included in network tariff structures which is calculated using the customer's metered energy (kWh) consumption. It may be based on a flat rate, an inclining block or TOU charging structure (depending on the customer's applicable network tariff). This part of the tariff seeks to reflect costs not directly allocated to network drivers and costs that are proportional to the size of the customer.